

Index of Subjects

Volume 143, 1993

Accessory cells

key immunocytes of the integument
keratinocytes, 325

Acquired immunodeficiency syndrome

disseminated BK type polyomavirus infection
central nervous system disease, 29
HIV-1 RNA
in situ hybridization, retinal vascular wall, 1275
-related non-Hodgkin's lymphoma
Epstein-Barr virus-latent gene expression, tumor
cell phenotype, 1072

Addressin

human peripheral lymph node vascular
involvement in homing, 1688

Adenocarcinoma

colorectal
microvascular pericytes, platelet-derived growth
factor- β receptors, 1389
ocular pathology
rasT24 oncogene, 20
pancreatic
K-ras oncogene activation, 545

Adenoma

ocular pathology
rasT24 oncogene, 20

Adhesion

cell-cell and cell-matrix proteins
sinusoidal endothelial cells, normal and cirrhotic
human liver, 738
ICAM-1 expression
ischemia/reperfusion, rat heart, 410
tumor necrosis factor- α and interleukin 1
limb ischemia/reperfusion injury, associated
lung injury, 453

Adhesion molecules

cytokine-induced expression of human leukocyte
antigens
myotubes, 1142

Aging

advanced glycation end products
newly characterized receptor, tissues, 1699
-dependent basal level and induction capacity
copper-zinc and manganese superoxide dismu-
tase, leukocytes, 312
diabetes and
human sympathetic autonomic ganglia, 143

Airway

upper
immunohistochemistry, intraepithelial and sub-
epithelial mononuclear cells, 1436

Albumin

early coronary atherogenesis
plasma protein insudation as an index, 496

Alexander disease

overexpression and abnormal modification
 α B-crystallin and HSP27, 1743

Alzheimer's disease

biochemical and anatomical redistribution
tau protein, 565
neurofibrillary tangles
immunocytochemistry, β -protein precursor,
1586
pathogenesis
anti-thrombin III and its mRNA, 886
"preamyloid" of diffuse plaques, 1594

Amylin

immunoreactivity and expression
gastroenteropancreatic endocrine tumors, 283

Amyloid

resistance
characterization, inbred CE/J mouse strain,
1480

Angiogenesis

anti-angiogenesis properties
ribonuclease inhibitor, reduced tumor growth in
mice, 507
correlation with metastasis
invasive prostate carcinoma, 401
increased expression
vascular permeability factor, kidney and bladder
carcinoma, 1255

macrophages

production of thrombospondin 1, 678

morphological aspects

liver metastases, 926
regressing thin cutaneous malignant melanoma,
99
role of endogenous basic fibroblast growth factor
release by aorta after injury, 181

Antigen-presenting cells

key immunocytes of the integument
keratinocytes, 325

Antithrombin III

mRNA and
pathogenesis, Alzheimer's disease, 886

Aorta

fatty streaks
transitional features, human atherosclerosis, 1444
migrating endothelial cells
fibronectin expression, U937 cell adhesion, 173
release of endogenous basic fibroblast growth factor
angiogenic role, 181
smooth muscle cells
basic fibroblast growth factor, MyoD conversion, 269

Apolipoprotein B

early coronary atherogenesis
plasma protein insudation as an index, 496

Apolipoprotein J

megakaryocyte-synthesized
platelet activation, 763

Apoptosis

activation by microtubule antagonists
rat hepatocytes, 918
-suppressing oncogene *bcl-2*
detection of, hormone-refractory human prostate cancers, 390
-suppressing protein *bcl-2*
neuroblastoma, unfavorable histology and *N-myc* amplification, 1543

T cells

experimental autoimmune encephalomyelitis, 446

Artery

control of smooth muscle cell migration
basic fibroblast growth factor, 1024
endometrial mucosa
tumor necrosis factor- α and its mRNA, 480
pulmonary
active collagen synthesis, human primary pulmonary hypertension, 121

Arthritis

acute side effects
homologous interleukin 3, monkeys, 1621
experimental
onset, role of phagocytic synovial lining cells, 1226
rabbit models
metalloproteinases, 628

Astrocytes

DNA synthesis and proliferation
down-regulation by interleukin 4, 337

Astrocytoma

normal and neoplastic human brain

integrin receptors, 154

Atheroma

cardiac tissue in diabetes mellitus
immunohistochemistry, advanced glycosylation endproducts, 1649
inducible VCAM-1 expression
vascular smooth muscle, rabbit, 1551
megakaryocyte-synthesized apolipoprotein J
platelet activation, 763

Atheromatous plaque

macrophages
plasminogen activator type 1, production by endothelial cells and vascular smooth muscle cells, 875

Atherosclerosis

coronary
intimal microvessels, immunohistochemistry, 164
defense mechanism gone awry, 987
human
transitional features, 1444
type I collagen gene expression, 1634
plaques
expression of osteopontin mRNA, macrophages, 1003

Basal lamina

excisional wound repair
spatial and temporal patterns, TGF- $\beta_1/\beta_2/\beta_3$, 368

Basement membrane

degradation of endothelial cell matrix
heparan sulfate proteoglycan, elastase, 907

B cells

clonal populations
paraffin-embedded tissues, polymerase chain reaction, 230
humoral and cellular immunopathology
hepatic and cardiac hamster-into-rat xenograft rejection, 85

bcl-2

apoptosis-suppressing protein
neuroblastoma, unfavorable histology and *N-myc* amplification, 1543

Bile duct

epithelial cell proliferation
inhibition by octreotide, fibrosis after biliary obstruction, 1574

Bladder neoplasms

p53 nuclear protein accumulation
mutations in *p53* gene, tumor grade and stage, 1389

Bleomycin

-induced pulmonary fibrosis

rat alveolar myofibroblasts, α -smooth muscle actin, 1754

Blood flow
atherosclerosis
defense mechanism gone awry, 987

Bone marrow
transplantation
white pulp reconstitution, 1111

Borrelia burgdorferi
chronic Lyme borreliosis
laboratory mouse, 959

Brain
cerebral atrophy and microphthalmia
infection at midgestation, murine cytomegalovirus, 804
experimental autoimmune encephalomyelitis
apoptosis, T cells, 446
normal and neoplastic
integrin receptors, 154
transgenic mice
foamy virus proteins, multinucleated giant cells, 648

Breast
expression of parathyroidlike protein, 1169
neoplasms
CD44 expression, association with survival, 867

Bronchus
epithelium
response, ambient concentrations of ozone, 857

Burns
healing wounds
localization, mRNAs representing collagenase and TIMP, 1657

E-Cadherin
differential loss of expression
infiltrating ductal and lobular breast carcinoma, 1731

Calcification
atherosclerotic plaques
expression of osteopontin mRNA, macrophages, 1003

Carcinoembryonic antigen
transcription
normal colon and colon carcinoma, 250

Carcinogenesis
growth properties and physical state
HPV type 16 genome, cervical tumors, 832

Carcinoma
human bronchogenic
production, interleukin 1 receptor antagonist, 794

Carcinoma, acinar cell
derivation of ductlike cell lines

rat pancreas, 292

Carcinoma, bladder
increased expression
vascular permeability factor, 1255

Carcinoma, breast
infiltrating ductal and lobular
differential loss, E-cadherin expression, 1731

Carcinoma, colonic
transcription of carcinoembryonic antigen, 250

Carcinoma, gastric
association of Epstein-Barr virus
lymphoid stroma, 1063
Epstein-Barr virus, 1250

Carcinoma, kidney
increased expression
vascular permeability factor, 1255

Carcinoma, lung
immunohistochemical study of p53, 199

Carcinoma, mammary
immunocytochemical localization
secreted TGF- β 1, 381

Carcinoma, pancreatic
acinar cell
cell lineage markers, p53 and K-ras, 685

Carcinoma, prostatic
invasive
tumor angiogenesis, correlation with metastasis, 401

Carcinoma, squamous cell
cutaneous
expression, selectin ligands, 1220

Carcinoma, uterine cervix
primary
p53 gene mutations, MDM2 amplification, 1398

Cartilage
immunolocalization of matrix metalloproteinases
rabbit models of arthritis, 628

CD3
major infiltration of fetal tissue
maternal inflammatory cells, villitis of unknown etiology, 473

CD44
expression and association with survival
breast cancer, 867

Central nervous system
disease
disseminated BK type polyomavirus infection,
AIDS patient, 29
neurons and primitive neuroectodermal tumor cells
220-kDa polypeptide, monoclonal antibodies to rat nestin fusion protein, 258

Cervical neoplasms
growth properties and physical state

HPV type 16 genome, 832

Cervix

- keratinocytes
- ICAM-1 characterization and function, HPV-related disease, 355
- PCR-amplified HIV-1 nucleic acids
- tumor necrosis factor cDNA, 40
- squamous metaplasia
- analysis of cellular origin, 1150

Chédiak-Higashi syndrome

- ultrastructural morphology
- eosinophil granules, 618

Cholesterol

- clefts
- transitional features, human atherosclerosis, 1444

Chromosomes

- aberrations
- mesoblastic nephroma, 714
- 1;18 translocation
- tumorigenicity, EBV-transformed lymphoblastoid cell line, 342
- translocations and deletions
- use of FISH, 15

Cigarette smoking

- atherosclerosis
- defense mechanism gone awry, 987

Cilia

- immotile
- syndrome in pigs, 643

Ciliary body

- pigment epithelium
- rasT24* oncogene, mice, 20

Cirrhosis

- cell-cell and cell-matrix adhesion proteins
- sinusoidal endothelial cells, 738
- liver
- defect of Fc receptors, phenotypical changes in sinusoidal endothelial cells, 105

Codon 12

- K-ras oncogene activation
- pancreatic adenocarcinoma, 545

Collagen

- active synthesis by pulmonary arteries
- human primary pulmonary hypertension, 121
- type I gene expression
- human atherosclerosis, 1634

Collagenase

- immunolocalization of matrix metalloproteinases
- rabbit models of arthritis, 628
- interstitial
- gene expression, colonic neoplasia, 663
- mRNA
- sections, healing human burn wounds, 1657

Colon

- neoplasia
- interstitial collagenase gene expression, 663
- normal
- transcription, carcinoembryonic antigen, 250

Complement membrane attack complex

- formation in myocardial infarction
- regulation of, 65

Complements

- extensive activation
- porcine dense deposit disease, 1356
- fixation
- demyelinating potential, myelin oligodendrocyte glycoprotein, 555

Cooper

- zinc and manganese superoxide dismutase
- age-dependent basal level, induction capacity in leukocytes, 312

Corticosteroids

- chronic proliferative dermatitis
- spontaneous mutation, C57BL mice, 972

Creutzfeldt-Jakob disease

- accumulation of abnormal prion protein
- infection by intraperitoneal route, mice, 1470

α -Crystallin

- HSP27 and
- overexpression, Alexander disease, 1743
- 27-kd heat shock protein and
- regulation by stress conditions, CNS and accumulation in Rosenthal fibers, 487

Cytochemistry

- ultrastructural morphology of eosinophil granules
- Chédiak-Higashi syndrome, 618

Cytofluorometry

- DNA
- rat malignant fibrous histiocytoma, 431

Cytokeratin

- cervical squamous metaplasia
- analysis of cellular origin, 1150

Cytokines

- atherosclerosis
- defense mechanism gone awry, 987
- chemotactic
- production of, allogeneic response, 1179
- gene mutation
- transforming growth factor- β_1 , knockout mice, 3
- ICAM-1 expression
- transitional cell cancer, 191
- induced expression of human leukocyte antigens
- cell adhesion molecules, human myotubes, 1142
- interleukin 4
- down-regulation, astrocyte DNA synthesis and proliferation, 337

tumor necrosis factor and interleukin 6
differential expression, peritoneal macrophages, 1121

Cytolysis
tumor necrosis factor-mediated protection, platelets, 1713

Cytomegalovirus
infection at midgestation
cerebral atrophy, microphthalmia, 804

Cytoskeleton
abnormal assembly
platelets, uremic patients, 823

Demyelination
potential of antibodies to myelin oligodendrocyte glycoprotein
ability to fix complement, 555

Dendritic cells
interdigitating
early course of SIV infection, thymus cortical epithelium, 699

Dermatitis
chronic proliferative
spontaneous mutation, C57BL mice, 972

Diabetes
advanced glycation end products
newly characterized receptor, tissues, 1699
aging and
human sympathetic autonomic ganglia, 143
atherosclerosis
defense mechanism gone awry, 987

9,10-Dimethyl-1,2-benzanthracene
-induced rat malignant fibrous histiocytoma
immunohistochemistry, immunoelectron microscopy and DNA cytofluorometry, 431

Diseases
viruses and
21st century, 1241

DNA
apoptosis
activation by microtubule antagonists, rat hepatocytes, 918
cytofluorometry
rat malignant fibrous histiocytoma, 431
stimulation of synthesis
microtubule disruption, bovine endothelial cells, 937
synthesis and proliferation
down-regulation by interleukin 4, astrocytes, 337
ultrastructural localization
immune deposits, human lupus nephritis, 304

DNA, complementary
in situ polymerase chain reaction
detection of mRNA expression, 1527

single
melanocyte lineage-specific antigens, recognition by monoclonal antibodies, 1579

tumor necrosis factor
PCR-amplified HIV-1 nucleic acids, cervical tissues, 40

Dystrophin
 β -spectrin and
localization, vacuolar myopathies, 1200

Edema
early coronary atherogenesis
plasma protein insudation as an index, 496

Elafin
differential expression
human epidermal tumors, 1679

ELAM
HIV-associated oral Kaposi's sarcoma, 240

Elastase
degradation of endothelial cell matrix
heparan sulfate proteoglycan, 907

Encephalomyelitis
experimental autoimmune
apoptosis, T cells, 446

Endometrium
mucosa during menstrual cycle
tumor necrosis factor- α and its mRNA, 480

Endothelial cells
activation by tumor necrosis factor
p55 tumor necrosis factor receptor, p75 at low concentrations, 1724
HIV-associated oral Kaposi's sarcoma, 240
matrix heparan sulfate proteoglycan
degradation by elastase, myeloperoxidase- H_2O_2 -chloride system, 907
microtubule disruption
stimulation of DNA synthesis, 937
migrating bovine aortic
U937 cell adhesion, fibronectin expression, 173
production of plasminogen activator type 1
atheromatous plaque macrophages, 875
proliferation of endothelial component
parathyroid gland, multiple endocrine neoplasia type 1, 612
sinusoidal
cell-cell and cell-matrix adhesion proteins, normal and cirrhotic human liver, 738
phenotypical changes and defective Fc receptors, human liver cirrhosis, 105

Endothelium
activation
in vivo model, VCAM-1 and E-selectin, 725
ICAM-3 expression
lymphoid malignancy, 1040

Endotoxin

- challenged lung tissue
- polymorphonuclear leukocytes, source of tumor necrosis factor- α , 1009

Eosinophils

- colonic neoplasia
- interstitial collagenase gene expression, 663
- expression of heparin-binding EGF-like growth factor mRNA
- localization around lung microvessels, pulmonary hypertension, 784
- granules
- ultrastructural morphology, Chédiak-Higashi syndrome, 618
- sequential expression
- transforming growth factors α and β_1 , cutaneous wound healing in the hamster, 130

Epidermal growth factor

- like growth factor mRNA
- expression by eosinophils, pulmonary hypertension, 784

Epidermal tumors

- human
- differential expression, SKALP/elafin, 1679

Epithelial cells

- cervical squamous metaplasia
- analysis of cellular origin, 1150
- keratin 17 as marker of transformation
- viral warts, 1667
- proliferation in bile duct
- inhibition by octreotide, fibrosis after biliary obstruction, 1574

Epithelium

- bronchiolar
- response to ambient concentrations, ozone, 857
- ciliary body pigment and retinal pigment
- rasT24* oncogene, 20
- integrin cell substratum adhesion receptors
- extracellular matrix proteins, cutaneous human wound healing, 1458
- thymus cortical
- early course, simian immunodeficiency virus infection, 699
- tracheal
- immotile cilia syndrome, pigs, 643

Epstein-Barr virus

- adult T-cell leukemia/lymphoma, 1263
- association with gastric carcinoma
- lymphoid stroma, 1063
- bcl-2* proto-oncogene expression and, 1270
- gastric carcinoma, 1250
- lacrimal gland pathology and
- Sjögren's syndrome, 49
- latent gene expression

- tumor cell phenotype, AIDS-related non-Hodgkin's lymphoma, 1072
- latent protein EB nuclear antigen-2
- pyothorax-associated lymphomas, 1280
- pyothorax-associated pleural lymphoma, 1044
- transformed lymphoblastoid cell line
- tumorigenic, 1;18 chromosomal translocation and CD11a expression, 342

Erratum, 648

Exocrine glands

- LFA-1 expression
- potential marker, malignant disease, 672

Extracellular matrix

- deposition of
- cooperation, Ito cells and hepatocytes, 538
- fibronectin expression
- U937 cell adhesion, migrating bovine aortic endothelial cells, 173
- modulation of growth by cell density
- protein synthesis, rat mesangial cells, 1209
- normal and neoplastic human brain
- integrin receptors, 154
- proteins
- integrin cell substratum adhesion receptors on epithelium, cutaneous human wound healing, 1458

Feline immunodeficiency virus

- predisposition for cats
- acute generalized toxoplasmosis, 1486

Fetal tissue

- major infiltration by maternal inflammatory cells
- villitis of unknown etiology, 473

Fetus

- human microglia
- productive infection by HIV-1, 1032
- perinatal hemochromatosis
- hepatic morphology, iron quantitation, 1312

Fibrin

- murine tissue factor gene expression, 76

Fibrinogen

- early coronary atherosclerosis
- plasma protein insudation as an index, 496

Fibroblast growth factor

- basic
- angiogenic role, release by aorta after injury, 181
- differential effect on MyoD conversion, aortic smooth muscle cells, 269
- elevated expression, immortalized rabbit smooth muscle cell line, 518
- macrophage production, lung injury, 1189
- microtubule disruption, stimulation of DNA synthesis, 937

role, control of smooth muscle cell migration, 1024

Fibroblasts

rat malignant fibrous histiocytoma
immunohistochemistry, immunoelectron microscopy and DNA cytofluorometry, 431

Fibrogenesis

cooperation of Ito cells and hepatocytes
deposition, extracellular matrix, 538

Fibronectin

U937 cell adhesion
migrating bovine aortic endothelial cells, 173

Fibroproliferative disorder

alveolar fibrosis
macrophage production, basic fibroblast growth factor, 1189

Fibrosis

extrahepatic biliary obstruction
bile duct epithelial cell proliferation, inhibition by octreotide, 1574

FISH

detection of chromosomal translocations and deletions, 15

Foamy virus

proteins in neurons
multinucleated giant cells, brain of transgenic mice, 648

o-Galactosamine

model of liver regeneration
differentiation of progenitor cells, hepatocytes, 1606

Ganglia

human sympathetic autonomic
diabetes and aging, 143

Gastroenteropancreatic endocrine tumors

immunoreactivity and expression of amylin, 283

Gelatinases

immunolocalization of matrix metalloproteinases
rabbit models of arthritis, 628

Gel electrophoresis

pulsed-field
retinoic acid receptor- α , promyelocytic leukemia
rearrangements, 1312

Gene

alterations
polymerase chain reaction, selective ultraviolet
radiation fractionation, 1523

Epstein-Barr virus-latent
tumor cell phenotype, AIDS-related non-Hodgkin's lymphoma, 1072

insulin-like growth factor-2
anti-sense transcripts, Wilms' tumor, 1535

interstitial collagenase

expression, colonic neoplasia, 663
MDM2 amplification and *p53* mutations
primary carcinomas, uterine cervix, 1398
melanoma
putative marker, 656

murine tissue factor, 76

mutation
transforming growth factor- β , knockout mice, 3

MyoD

conversion of aortic smooth muscle cells, basic
fibroblast growth factor, 269

Tat

extravasation and transcytosis of liposomes,
Kaposi's sarcoma-like dermal lesions, 10

type I collagen

human atherosclerosis, 1634
type 1 plasminogen activator inhibitor
expression after partial hepatectomy, 753

Gestation

midpoint

infection with murine cytomegalovirus, cerebral
atrophy and microphthalmia, 804

Giant cells

multinucleated
foamy virus proteins, brain of transgenic mice,
648

Glomerulonephritis

hereditary porcine membranoproliferative
extensive complement activation, 1356

human lupus nephritis
ultrastructural localization of DNA, immune deposits, 304

induction of different types
monoclonal antibodies, MRL/lpr lupus mouse,
1436

β -1,3-Glucan

development of functional diversity
mouse macrophages, 587

Glycoprotein

CD44 expression and association with survival
breast cancer, 867

GP330

detection of two forms, 598
myelin oligodendrocyte
demyelinating potential, ability to fix complement, 555

GP330

detection of two forms, 598

Granules

cytotoxic potential
intraepithelial lymphocytes, 350
eosinophil
ultrastructural morphology, Chédiak-Higashi
syndrome, 618

Growth factors

autocrine
temporal expression, Habu snake venom-induced glomerulonephritis, 1366

Habu snake venom

-induced glomerulonephritis
temporal expression, autocrine growth factors, 1366

Heart

atheroma and
diabetes mellitus, advanced glycosylation end-products, 1649
early coronary atherogenesis
plasma protein insudation as an index, 496
hamster-into-rat xenograft rejection
humoral and cellular immunopathology, 85
ICAM-1 expression
ischemia/reperfusion and limitation of infarct size, antibodies against cell adhesion molecules, 410
infarct expansion and healing
effects of late reperfusion, rats, 419

Heat shock protein

27-kd and α B-crystallin
regulation by stress conditions, CNS and accumulation in Rosenthal fibers, 487

Hemochromatosis

perinatal
hepatic morphology, iron quantitation, 1312

Heparan sulfate proteoglycan

degradation of endothelial cell matrix
elastase, myeloperoxidase- H_2O_2 -chloride system, 907

Heparin

-binding EGF-like growth factor mRNA
expression by eosinophils, pulmonary hypertension, 784

Hepatectomy

partial
type 1 plasminogen activator inhibitor gene expression, 753

Hepatitis C virus

immunohistochemical detection of NS4 antigen
relation to histopathology, 1568

Hepatocarcinogenesis

early stages
oval cell proliferation, SV40 large T antigen transgenic mice, 1326

Hepatocyte growth factor

activation by plasminogen activators, 949

Hepatocytes

activation of apoptosis
microtubule antagonists, 918

differentiation of progenitor cells

α -galactosamine model, liver regeneration, 1606

morphology

iron quantitation, perinatal hemochromatosis, 1312

paraffin

reactive monoclonal antibody, differential diagnosis of hepatic tumors, 1050

Heptocytes

Ito cells and

cooperation, deposition of extracellular matrix, 538

Histiocytoma

rat malignant fibrous

immunohistochemistry, quantitative immunoelectron microscopy and DNA cytofluorometry, 431

HIV-1

in situ hybridization of RNA

retinal vascular wall, 1275

PCR-amplified nucleic acids

tumor necrosis factor cDNA, cervical tissues, 40

productive infection

human fetal microglia, 1032

Hodgkin's disease

constitutive expression of tenascin

T-dependent zones, human lymphoid tissues, 1348

Epstein-Barr virus infection

bcl-2 proto-oncogene expression, 1270

Homing

human peripheral lymph node vascular addressin, 1688

HSP27

α B-crystallin and

overexpression, Alexander disease, 1743

Human immunodeficiency virus

-associated oral Kaposi's sarcoma, 240

sera and macrophage supernatants

mesangial cell proliferation, matrix synthesis, 814

Tat gene in transgenic mice

extravasation and transcytosis of liposomes,

Kaposi's sarcoma-like dermal lesions, 10

Human papillomavirus

-related disease

ICAM-1 characterization and function, cervical keratinocytes, 355

type 16 genome

growth properties and physical state, primary cervical tumors, 832

Hybridization

in situ

deficient differentiation of mast cells, skin of *mi/mi* mice, 1337

Hypercholesterolemia

atherosclerosis

defense mechanism gone awry, 987

Hyperplasia

ocular pathology

rasT24 oncogene, 20

Hypersensitivity

homologous interleukin 3

acute side effects, monkeys, 1621

Hypersensitivity, delayed-type

inhibition of inflammation

dual inhibition, VLA-4 and LFA-1, 1286

Hypertension

atherosclerosis

defense mechanism gone awry, 987

human primary pulmonary

active collagen synthesis, pulmonary arteries,

121

pulmonary

heparin-binding EGF-like growth factor mRNA,

expression by eosinophils, 784

ICAM

HIV-associated oral Kaposi's sarcoma, 240

ICAM-1

characterization and functional analysis

human papillomavirus-related disease, cervical

keratinocytes, 355

expression in rat heart

ischemia/reperfusion and limitation of infarct

size, antibodies against cell adhesion molecules, 410

$\beta 2$ integrins and

lung injury, ischemia-reperfusion of hind limbs, 464

production of chemotactic cytokines

allogeneic response, 1179

transitional cell cancer, 191

ICAM-3

-bearing cells

distribution in human tissues, 774

expression on endothelium

lymphoid malignancy, 1040

Immune complexes

immune deposits

ultrastructural localization of DNA, human lupus

nephritis, 304

Immune system

SCID mouse

relevance, study of human disease, 1511

Immunity

ICAM-1 expression

transitional cell cancer, 191

Immunocytes

keratinocytes

integument, 325

Immunocytochemistry

biochemistry and

Heymann nephritis antigenic complex, rat L2

yolk sac cells, 1436

β -protein precursor

component of neurofibrillary tangles,

Alzheimer's disease, 1586

Immunodeficiency

mice with human skin grafts

growth and invasion, human melanomas, 528

Immunohistochemistry

intimal microvessels

coronary atherosclerosis, 164

intraepithelial and subepithelial mononuclear cells

upper airways, 1436

localization of advanced glycosylation endproducts

coronary atheroma and cardiac tissue, diabetes mellitus, 1649

localization of Trk receptor protein

pediatric small round blue cell tumors, 1560

NS4 antigen

hepatitis C virus, relation to histopathology, 1568

p53

human lung carcinoma, 199

rat malignant fibrous histiocytoma

immunolectron microscopy, DNA cytofluorometry, 431

Infectious disease

placenta revealed, 332

Inflammation

cutaneous delayed-type hypersensitivity-induced

dual inhibition, VLA-4 and LFA-1, 1286

experimental autoimmune encephalomyelitis

apoptosis, T cells, 446

Inflammatory cells

maternal

major infiltration of fetal tissue, villitis of unknown etiology, 473

Inflammatory disease

transforming growth factor- β , knockout mice, 3

Insulin-like growth factor-2

gene in Wilms' tumor

anti-sense transcripts, 1535

Insulinoma

gastroenteropancreatic endocrine tumors

immunoreactivity and expression, amylin, 283

Integrins

$\beta 1$
localization and extracellular ligands, human lymphoid tissues, 1098
 $\beta 2$
ICAM-1 and, lung injury after ischemia-reperfusion of hind limbs, 464
cell substratum adhesion receptors on epithelium
extracellular matrix proteins, cutaneous human wound healing, 1458

Integument

keratinocytes as key immunocytes, 325

β -Interferon

development of functional diversity
mouse macrophages, 587

γ -Interferon

tumor necrosis factor- α and
antirickettsial effect, induction of NO synthesis, 1016

Interleukin 1

receptor antagonist
production, human bronchogenic carcinoma, 794
tumor necrosis factor- α and
limb ischemia/reperfusion injury, associated lung injury, 453

Interleukin 3

homologous
acute side effects, monkeys, 1621

Interleukin 4

down-regulation
adult human astrocyte DNA synthesis, proliferation, 337

Interleukin 6

tumor necrosis factor and
differential expression, peritoneal macrophages, 1121

Interstitial cells

idiopathic pulmonary fibrosis
expression and localization, tumor necrosis factor- α and its mRNA, 651

Intestine

cytotoxic potential
intraepithelial lymphocytes, 350
immunoreactivity and expression of amylin
gastroenteropancreatic endocrine tumors, 283

Intima

microvessels
immunohistochemistry, coronary microvessels, 164

Iron

quantitation and hepatic morphology
perinatal hemochromatosis, 1312

Ischemia

-reperfusion
associated lung injury, tumor necrosis factor- α and interleukin 1, 453
ICAM-1 expression, rat heart, 410
-reperfusion of hind limbs
lung injury, $\beta 2$ integrins and ICAM-1, 464

Ito cells

hepatocytes and
cooperation, deposition of extracellular matrix, 538

Kaposi's sarcoma

HIV-associated, 240

Keratin 17

marker for epithelial transformation
viral warts, 1667

Keratinocytes

cervical
ICAM-1 characterization and function, HPV-related disease, 355
key immunocytes of the integument, 325

Kidney

murine tissue factor gene expression, 76

K-ras

oncogene activation
pancreatic adenocarcinoma, 545
pancreatic acinar cell carcinoma, 685

Lacrimal gland

pathology
Epstein-Barr virus, Sjögren's syndrome, 49

Lamins

nuclear A-type
differential expression, human lung cancer subtypes, 211

Langerhans cells

ICAM-3-bearing cells
distribution in human tissues, 774

L2 cells

immunocytochemical and biochemical characterization
Heymann nephritis antigenic complex, 1366

Leukemia, hairy cell

constitutive expression of tenascin
T-dependent zones, human lymphoid tissues, 1348

Leukemia, promyelocytic

rearrangements
retinoic acid receptor- α , pulsed-field gel electrophoresis, 1312

Leukemia, T-cell

-lymphoma
Epstein-Barr virus, 1263

Leukocytes

- age-dependent basal level and induction capacity
- cooper-zinc and manganese superoxide dismutase, 312
- cytokine-induced expression of human antigens
- cell adhesion molecules, human myotubes, 1142
- polymorphonuclear
- source of tumor necrosis factor- α , endotoxin-challenged lung tissue, 1009

Leukoencephalopathy

- T-cell infiltration and expression
- MHC class II antigen, macrophages and microglia, 579

LFA-1

- expression on exocrine glands
- potential marker, malignant disease, 672
- ICAM-3-bearing cells
- distribution in human tissues, 774
- VLA-4 and
- inhibition, cutaneous delayed-type hypersensitivity-induced inflammation, 1286

LFA-1a

- chromosomal 1;18 translocation
- tumorigenicity, EBV-transformed lymphoblastoid cell line, 342

LFA-3

- production of chemotactic cytokines
- allogeneic response, 1179

Ligands

- extracellular
- localization of $\beta 1$ integrins, human lymphoid tissues, 1098
- selectin
- expression, cutaneous squamous cell carcinoma, 1220

Limb

- ischemia/reperfusion injury
- associated lung injury, tumor necrosis factor- α and interleukin 1, 453

Limbic system

- olfactory pathway and
- viral infection and dissemination, Theiler's virus, 221

Lipopolysaccharide

- murine tissue factor gene expression, 76

Liposomes

- extravasation and transcytosis
- Kaposi's sarcoma-like dermal lesions, HIV Tat gene in transgenic mice, 10

Liver

- cirrhosis
- defect of Fc receptors, phenotypical changes in sinusoidal endothelial cells, 105

hamster-into-rat xenograft rejection

- humoral and cellular immunopathology, 85
- metastases
- morphological aspects, angiogenesis, 926
- morphology and iron quantitation
- perinatal hemochromatosis, 1312

normal and cirrhotic

- cell-cell and cell-matrix adhesion proteins, sinusoidal endothelial cells, 738

partial hepatectomy

- type 1 plasminogen activator inhibitor gene expression, 753

regeneration

- D-galactosamine model, progenitor cell differentiation into hepatocytes, 1606

tumors

- differential diagnosis, hepatocyte paraffin, 1050

Lung

- associated injury and limb ischemia/reperfusion injury

- tumor necrosis factor- α , interleukin 1, 453

bleomycin-induced fibrosis

- rat alveolar myofibroblasts, α -smooth muscle actin, 1754

endotoxin-challenged tissue

- polymorphonuclear leukocytes, source of tumor necrosis factor- α , 1009

human primary pulmonary hypertension

- active collagen synthesis, pulmonary arteries, 121

idiopathic pulmonary fibrosis

- expression and localization, tumor necrosis factor- α and its mRNA, 651

injury

- ischemia-reperfusion of hind limbs, $\beta 2$ integrins and ICAM-1, 464

- macrophage production, basic fibroblast growth factor, 1189

- monocyte chemoattractant protein 1, rat lung organ cultures, 894

microvessels

- heparin-binding EGF-like growth factor mRNA, expression by eosinophils, 784

murine tissue factor gene expression, 76

neoplasm subtypes

- differential expression, nuclear A-type lamins, 211

Lupus

MRL/lpr lupus mouse

- induction of different types of glomerulonephritis, monoclonal antibodies, 1436

nephritis

- ultrastructural localization of DNA, immune deposits, 304

Lyme disease

chronic Lyme borreliosis
laboratory mouse, 959

Lymph node

metastases
immunocytochemical localization of secreted
TGF- β 1, mammary carcinoma, 381
vascular addressin
involvement in homing, 1688

Lymphoblastoid cells

EBV-transformed
tumorigenicity, chromosomal 1;18 translocation,
342

Lymphocytes

intraepithelial
cytotoxic potential, 350

Lymphoid neoplasms

ICAM-3 expression on endothelium, 1040

Lymphoid tissues

localization of β 1 integrins
extracellular ligands, 1098
T-dependent zones
constitutive expression, tenascin, 1348

Lymphoma

adult T-cell leukemia
Epstein-Barr virus, 1263
diffuse large cell and large cell immunoblastic
MHC class I and class II antigen expression,
1086
pyothorax-associated
Epstein-Barr virus latent protein EB nuclear an-
tigen-2, 1280
pyothorax-associated pleural
Epstein-Barr virus, 1044

Lymphoma, large cell

anaplastic
high levels, p53 protein expression, 845

Lymphoma, non-Hodgkin's

AIDS-related
Epstein-Barr virus-latent gene expression, tumor
cell phenotype, 1072
clonal B cell population
paraffin-embedded tissues, 230

Lysosomes

eosinophil granules
ultrastructural morphology, Chédiak-Higashi
syndrome, 618

Macrophages

angiogenic
production of thrombospondin 1, 678
atheromatous plaque

plasminogen activator type 1, production by
endothelial cells and vascular smooth muscle
cells, 875

expression of osteopontin mRNA
atherosclerotic plaques, 1003

HIV-associated oral Kaposi's sarcoma, 240
mouse

development, functional diversity, 587
multicellular tumor spheroids and
co-culture, three-dimensional model, 1406

peritoneal
differential expression, tumor necrosis factor
and interleukin 6, 1121

production of basic fibroblast growth factor
fibroproliferative disorder of alveolar fibrosis,
lung injury, 1189

rat malignant fibrous histiocytoma
immunohistochemistry, immunoelectron micros-
copy and DNA cytofluorometry, 431

supernatants

HIV sera and, mesangial cell proliferation and
matrix synthesis, 814

T-cell infiltration and expression

MHC class II antigen, leukoencephalopathy, 579

Major histocompatibility complex

class I and class II antigen expression
diffuse large cell and large cell immunoblastic
lymphomas, 1086

class II

T-cell infiltration and expression, macrophages
and microglia in leukoencephalopathy, 579

Malignancy

human skin grafted to immunodeficient mice
growth and invasion, human melanomas, 528
lymphoid

ICAM-3 expression, endothelium, 1040

potential marker

LFA-1 expression, 672

Manganese superoxide dismutase

copper-zinc and
age-dependent basal level, induction capacity
in leukocytes, 312

Mast cells

deficient differentiation
skin *mi/mi* mice, 1337

Matrix

synthesis and mesangial cell proliferation
effects, HIV sera and macrophage superna-
tants, 814

Medulloblastoma

monoclonal antibodies to rat nestin fusion protein
220-kDa polypeptide, CNS neurons and primi-
tive neuroectodermal tumor cells, 258

Megakaryocytes

- maturing human
- effect of thrombin, 1498
- synthesized apolipoprotein J
- platelet activation, 763

Melanocyte

- lineage-specific antigens
- recognition by monoclonal antibodies, encoding by single cDNA, 1579

Melanoma

- growth and invasion
- human skin grafted to immunodeficient mice, 528
- human
- putative marker, 656
- regressing thin cutaneous malignant angiogenesis, 99

Menstrual cycle

- endometrial mucosa
- tumor necrosis factor- α and its mRNA, 480

Mesangial cells

- cell density
- modulation of growth, extracellular matrix, 1209
- habu snake venom-induced glomerulonephritis
- temporal expression, autocrine growth factors, 1366
- proliferation and matrix synthesis
- effects, HIV sera and macrophage supernants, 814

Mesenchymal cells

- excisional wound repair
- spatial and temporal patterns, TGF- $\beta_1/\beta_2/\beta_3$, 368

Metalloproteinases

- rabbit models of arthritis, 628

Metastasis

- colonic neoplasia
- interstitial collagenase gene expression, 663
- liver
- morphological aspects, angiogenesis, 926
- lymph node
- immunocytochemical localization of secreted TGF- β_1 , mammary carcinoma, 381
- tumor angiogenesis
- invasive prostate carcinoma, 401

Mice

- inbred CE/J strain
- characterization, amyloid resistance, 1480
- transforming growth factor- β_1 , 3
- transgenic
- rasT24* oncogene, ocular pathology, 20

Microglia

- human fetal

- productive infection by HIV-1, 1032

- T-cell infiltration and expression
- MHC class II antigen, leukoencephalopathy, 579

Microphthalmia

- cerebral atrophy and
- infection at midgestation, murine cytomegalovirus, 804

Microscopy

- intravital
- dorsal skinfold chamber technique, nude mice, 1055

Microtubule

- antagonists
- activation of apoptosis, rat hepatocytes, 918
- disruption
- stimulation of DNA synthesis, bovine endothelial cells, 937

Microvasculature

- pericytes
- platelet-derived growth factor- β receptors, healing wounds and colorectal adenocarcinoma, 1389

Microvessels

- intimal
- immunohistochemistry, coronary atherosclerosis, 164

Monoclonal antibodies

- induction of different types
- glomerulonephritis, MRL/lpr lupus mouse, 1436
- myelin oligodendrocyte glycoprotein
- demyelinating potential, ability to fix complement, 555
- putative marker for human melanoma, 656

- rat nestin fusion protein

- 220-kDa polypeptide, CNS neurons and primitive neuroectodermal tumor cells, 258

- recognition of melanocyte lineage-specific antigens
- encoding by single cDNA, 1579

Monocyte chemoattractant protein 1

- mediated lung injury
- rat lung organ cultures, 894

Mononuclear cells

- intraepithelial and subepithelial
- immunohistochemistry, upper airways, 1436
- U937 cell adhesion
- migrating bovine aortic endothelial cells, fibronectin expression, 173

Morphometry

- ultrastructural morphology of eosinophil granules
- Chédiak-Higashi syndrome, 618

Mucin

- cervical squamous metaplasia

analysis of cellular origin, 1150

Mucosa
endometrial
tumor necrosis factor- α and its mRNA, 480

Multiple endocrine neoplasia
type 1
proliferation, endothelial component of parathyroid gland, 612

Muscle, smooth
 α -actin
rat alveolar myofibroblasts, bleomycin-induced pulmonary fibrosis, 1754

aorta
basic fibroblast growth factor, MyoD conversion, 269

control of migration
basic fibroblast growth factor, 1024

immortalized rabbit cell line
elevated expression, basic fibroblast growth factor, 518

vascular
inducible VCAM-1 expression, rabbit atheroma, 1551

production of plasminogen activator type 1, atherosomatous plaque macrophages, 875

Myelin
oligodendrocyte glycoprotein
demyelinating potential, ability to fix complement, 555

T-cell infiltration and expression
MHC class II antigen, leukoencephalopathy, 579

Myeloperoxidase
-H₂O₂-chloride system
degradation, endothelial cell matrix heparan sulfate proteoglycan, 907

Myocardium
infarction
regulation, complement membrane attack complex formation, 65

Myofibroblasts
rat alveolar
 α -smooth muscle action, bleomycin-induced pulmonary fibrosis, 1754

Myopathy
vacuolar
localization, dystrophin and β -spectrin, 1200

Myotubes
cytokine-induced expression of human leukocyte antigens
cell adhesion molecules, 1142

Neointimal cells
human primary pulmonary hypertension

active collagen synthesis, pulmonary arteries, 121

Nephritis
Heymann
antigenic complex, immunocytochemical and biochemical characterization in rat L2 cells, 1436

detection, two forms of GP330, 598

Nephroma
mesoblastic
chromosome aberrations, 714

Nestin fusion protein
monoclonal antibodies
220-kDa polypeptide, CNS neurons and primitive neuroectodermal tumor cells, 258

Neurites
biochemical and anatomical redistribution
tau protein, Alzheimer's disease, 565

Neuroblastoma
pediatric small round blue cell tumors
immunohistochemical localization, Trk receptor protein, 1560

unfavorable histology and N-myc amplification
apoptosis-suppressing protein *bcl-2*, 1543

Neuroectodermal neoplasms
peripheral
detection of (11;22)(q24;q12) translocation, RT-PCR, 1294

Neurofibrillary tangles
 β -protein precursor
immunocytochemistry, Alzheimer's disease, 1586

Neurons
CNS
220-kDa polypeptide, monoclonal antibodies to rat nestin fusion protein, 258

foamy virus proteins
multinucleated giant cells, brain of transgenic mice, 648

Neutrophils
degradation of endothelial cell matrix
heparan sulfate proteoglycan, elastase, 907

Nitric oxide
induction of synthesis
antirickettsial effect, interferon- γ and tumor necrosis factor- α , 1016

NS4 antigen
immunohistochemical detection
hepatitis C virus, relation to histopathology, 1568

Nucleic acids
PCR-amplified HIV-1
tumor necrosis factor cDNA, cervical tissues, 40

Octreotide

inhibition of bile duct epithelial cell proliferation
fibrosis, extrahepatic biliary obstruction, 1574

Olfaction

viral infection and dissemination
Theiler's virus, 221

Oncogenes

K-ras
activation, pancreatic adenocarcinoma, 545
rasT24
ciliary body pigment epithelium, retinal pigment
epithelium, 20

Oncoprotein

bcl-2
suppression of apoptosis, hormone-refractory
human prostate cancers, 390

Osteopontin

mRNA expression by macrophages
atherosclerotic plaques, calcification, 1003

Oval cells

proliferation
early stages of hepatocarcinogenesis, SV40
large T antigen transgenic mice, 1326

Ozone

ambient concentrations
response, bronchiolar epithelium, 857

p53

gene mutations and MDM2 amplification
primary carcinomas, uterine cervix, 1398
high levels of protein expression
no correlation with gene mutations, anaplastic
large cell lymphoma, 845
immunohistochemistry
human lung carcinoma, 199
nuclear protein accumulation
mutations in gene, stage of bladder cancer,
1389
pancreatic acinar cell carcinoma, 685

p60

p80 tumor necrosis factor- α receptor mRNA
protein, human placenta, 1131

Pancreas

derivation of ductlike cell lines
transplantable acinar cell carcinoma, 292

Paraffin

-embedded specimens
use of FISH, chromosomal translocations and
deletions, 15
-embedded tissues
clonal B cell populations, polymerase chain re-
action, 230
hepatocyte

reactive monoclonal antibody, differential diag-
nosis of hepatic tumors, 1050

Parathyroid gland

endothelial component
proliferation of, multiple endocrine neoplasia
type 1, 612

Parathyroidlike protein

expression in breast tissues, 1169

Pericytes

microvascular
platelet-derived growth factor- β receptors, heal-
ing wounds and colorectal adenocarcinoma,
1389

Phagocytes

synovial lining cells
role, onset of experimental arthritis, 1226

Placenta

p60 and p80 tumor necrosis factor- α receptor
mRNA
protein and, 1131
revealed, 332

Plaques

diffuse
"preamyloid", Alzheimer's disease, 1594
type I collagen gene expression
human atherosclerosis, 1634

Plasma

protein insudation
index of early coronary atherogenesis, 496

Plasminogen activator

type 1 inhibitor gene expression
partial hepatectomy, 753
type 1 production by endothelial cells
vascular smooth muscle cells, atheromatous
plaque macrophages, 875
uPA and tPA
activation, hepatocyte growth factor, 949

Platelets

abnormal cytoskeleton assembly
uremic patients, 823
activation
release, megakaryocyte-synthesized apolipo-
protein J, 763
tumor necrosis factor-mediated cytolysis
protection, 1713

Polyinosinate-polycytidylate

development of functional diversity
mouse macrophages, 587

Polymerase chain reaction

-amplified HIV-1 nucleic acids
tumor necrosis factor cDNA, cervical tissues, 40
clonal B cell populations
paraffin-embedded tissues, 230
in situ cDNA

detection of mRNA expression, 1527
K-ras oncogene activation
pancreatic adenocarcinoma, 545
reverse transcription
detection of (11;22)(q24;q12) translocation, Ewing's sarcoma, 1294
selective ultraviolet radiation fractionation
genetic alterations, 1523
Polyomavirus
disseminated BK type
central nervous system disease, AIDS patient, 29
Pregnancy
major infiltration of fetal tissue
maternal inflammatory cells, villitis of unknown etiology, 473
placenta revealed, 332
Prion
accumulation of abnormal protein in mice
Creutzfeldt-Jakob disease, infection by intraperitoneal route, 1470
Progenitor cells
differentiation into hepatocytes
D-galactosamine model, liver regeneration, 1606
Prostatic neoplasms
hormone-refractory
detection of *bcl-2*, 390
 β -Protein
precursor
immunocytochemistry, neurofibrillary tangles of Alzheimer's disease, 1586
Proteinuria
degradation of endothelial cell matrix
heparan sulfate proteoglycan, elastase, 907
Proto-oncogenes
bcl-2
Epstein-Barr virus, 1270
Pyothorax
-associated lymphomas
Epstein-Barr virus latent protein EB nuclear antigen-2, 1280
-associated pleural lymphoma
Epstein-Barr virus, 1044
Receptors
Fc
phenotypical changes in sinusoidal endothelial cells, human liver cirrhosis, 105
ICAM-3-bearing cells
distribution in human tissues, 774
integrin
normal and neoplastic human brain, 154
integrin cell substratum adhesion
extracellular matrix proteins, cutaneous human wound healing, 1458
interleukin 1
antagonist, production by human bronchogenic carcinoma, 794
p60 and p80 tumor necrosis factor- α
mRNA and protein, human placenta, 1131
platelet-derived growth factor- β
microvascular pericytes, healing wounds and colorectal adenocarcinoma, 1389
retinoic acid α
pulsed-field gel electrophoresis, promyelocytic leukemia rearrangements, 1312
Trk protein
immunohistochemical localization, pediatric small round blue cell tumors, 1560
tumor necrosis factor p55 and p75
activation, human endothelial cells, 1724
vascular permeability factor
kidney and bladder carcinomas, 1255
Reperfusion
late
infarct expansion and healing, rats, 419
Reproduction
placenta revealed, 332
Retina
pigment epithelium
rast24 oncogene, mice, 20
vascular wall
in situ hybridization, HIV-1 RNA, 1275
Retinoic acid
receptor- α
pulsed-field gel electrophoresis, promyelocytic leukemia rearrangements, 1312
Reverse transcription
-polymerase chain reaction
detection of (11;22)(q24;q12) translocation, Ewing's sarcoma, 1294
Ribonuclease
inhibitor
expression of anti-angiogenic properties, reduced tumor growth in mice, 507
Rickettsiae
antirickettsial effect
interferon- γ and tumor necrosis factor- α , induction of NO synthesis, 1016
RNA
development of functional diversity
mouse macrophages, 587
HIV-1
in situ hybridization, retinal vascular wall, 1275
RNA, messenger
antithrombin III
pathogenesis, Alzheimer's disease, 886

collagenase and TIMP
 sections, healing human burn wounds, 1657
detection of expression
 in situ cDNA polymerase chain reaction, 1527
osteopontin
 expression by macrophages, atherosclerotic plaques, 1003
p60 and p80 tumor necrosis factor- α receptor protein and, human placenta, 1131
tumor necrosis factor- α
 endometrial mucosa during menstrual cycle, 480
 expression and localization, idiopathic pulmonary fibrosis, 651

Rosenthal fibers
regulation of α B-crystallin and 27-kd heat shock protein
 central nervous system, 487

Rous-Whipple award
Oldstone, Michael B.
 viruses and diseases of the 21st century, 1241

Ross, Russell
 atherosclerosis, defense mechanism gone awry, 987

Sarcoma
Ewing's
 detection of (11;22)(q24;q12) translocation, RT-PCR, 1294
Kaposi's
 extravasation and transcytosis of liposomes, HIV Tat gene in transgenic mice, 10
synovial
 chromosomal translocations and deletions, use of FISH, 15

Selectin
ligands
 expression, cutaneous squamous cell carcinoma, 1220

E-Selectin
VCAM-1 and
 in vivo model, endothelial activation, 725

Sepsis
Gram-negative
 murine tissue factor gene expression, 76

Serine
protease inhibitor antithrombin III
 mRNA, pathogenesis of Alzheimer's disease, 886

Sertoli cells
tumorigenic cell line
 temperature sensitivity, differentiation, 1159

Severe combined immunodeficiency
mouse

relevance, study of human disease, 1511

Signal transduction
keratinocytes
 key immunocytes of the integument, 325

Simian immunodeficiency virus
early course of infection
 alterations, thymus cortical epithelium, 699

Simian virus 40
large T antigen transgenic mice
 oval cell proliferation, early stages of hepatocarcinogenesis, 1326

Sjögren's syndrome
lacrimal gland pathology
 Epstein-Barr virus, 49

Skin
chronic proliferative dermatitis
 spontaneous mutation, C57BL mice, 972
human
 grafted to immunodeficient mice, growth and invasion of human melanomas, 528
integument
 keratinocytes, key immunocytes, 325
Kaposi's sarcoma-like dermal lesions
 extravasation and transcytosis of liposomes, Tat gene in transgenic mice, 10
mi/mi mice
 deficient differentiation of mast cells, 1337

Skin-derived antileukoproteinase
differential expression
 human epidermal tumors, 1679

Skinfold chamber technique
intravital microscopy in nude mice, 1055

Somatostatin analogue
inhibition of bile duct epithelial cell proliferation
 fibrosis, extrahepatic biliary obstruction, 1574

β -Spectrin
dystrophin and
 localization, vacuolar myopathies, 1200

Spheroids
multicellular
 macrophage co-culture, three-dimensional model, 1406

Spleen
 $\text{IgM}^{++\text{bright}}/\text{IgD}^{+\text{dull}}$ B cells
 humoral and cellular immunopathology, hepatic and cardiac hamster-into-rat xenograft rejection, 85

Stress
regulation of α B-crystallin and 27-kd heat shock protein
 central nervous system, accumulation in Rosenthal fibers, 487

Stress proteins
modulation of growth by cell density

extracellular matrix, mesangial cells, 1209

Stroma
colonic neoplasia
interstitial collagenase gene expression, 663

lymphoid
association of Epstein-Barr virus, gastric carcinoma, 1063

Stromelysin
immunolocalization of matrix metalloproteinases
rabbit models of arthritis, 628

Synovium
immunolocalization of matrix metalloproteinases
rabbit models of arthritis, 628

Tau protein
biochemical and anatomical redistribution
Alzheimer's disease, 565

T cells
apoptosis
experimental autoimmune encephalomyelitis, 446

ICAM-3-bearing cells
distribution in human tissues, 774

infiltration and expression
MHC class II antigen by macrophages and microglia, leukoencephalopathy, 579

keratinocytes
key immunocytes of the integument, 325

major infiltration of fetal tissue
maternal inflammatory cells, villitis of unknown etiology, 473

Temperature
sensitivity for differentiation
tumorigenic murine Sertoli cell line, 1159

Tenascin
constitutive expression
T-dependent zones, human lymphoid tissues, 1348

Theiler's virus
viral infection and dissemination
olfactory pathway, limbic system, 221

Thrombin
effect on maturing human megakaryocytes, 1498

Thrombospondin 1
production by angiogenic macrophages, 678

Thymus
cortical epithelium
early course, simian immunodeficiency virus infection, 699

TIA-1
cytotoxic potential
intraepithelial lymphocytes, 350

TIMP
mRNA

sections, healing human burn wounds, 1657

Tissue factor
gene expression in mice, 76

Tissues
advanced glycation end products
newly characterized receptor, 1699

Toxoplasmosis
acute generalized
predisposition, feline immunodeficiency virus, 1486

Trachea
immotile cilia syndrome in pigs, 643

Transforming growth factors
 α and β_1
sequential expression by eosinophils, cutaneous wound healing in the hamster, 130

β_1
immunocytochemical localization, human mammary carcinoma, 381
knockout mice, 3

$\beta_1/\beta_2/\beta_3$
spatial and temporal patterns, excisional wound repair, 368

Transitional cell cancer
ICAM-1 expression, 191

Transplantation
human bone marrow
white pulp reconstitution, 1111

Trophoblasts
placenta revealed, 332

Tumorigenicity
Epstein-Barr virus-transformed lymphoblastoid cell line
1;18 chromosomal translocation, CD11a expression, 342

Sertoli cell line
temperature sensitivity, differentiation, 1159

Tumor necrosis factor
activation of human endothelial cells
p55 tumor necrosis factor receptor, p75 at low concentrations, 1724

complementary DNA
PCR-amplified HIV-1 nucleic acids, cervical tissues, 40

interleukin 6 and
differential expression, peritoneal macrophages, 1121

-mediated cytosis by platelets
protection, 1713

Tumor necrosis factor- α
expression and localization
its mRNA, idiopathic pulmonary fibrosis, 651

interferon- γ and

antirickettsial effect, induction of NO synthesis, 1016

interleukin 1 and

- limb ischemia/reperfusion injury, associated lung injury, 453

its mRNA and

- endometrial mucosa during menstrual cycle, 480

p60 and p80 receptor mRNA and protein

- human placenta, 1131

polymorphonuclear leukocytes as source endotoxin-challenged lung tissue, 1009

Tumor progression

- growth properties and physical state
- HPV type 16 genome, cervical tumors, 832

U937 cells

- adhesion to migrating bovine aortic endothelial cells
- fibronectin expression, 173

Ultrastructure

- morphology of eosinophil granules
- Chédiak-Higashi syndrome, 618

Ultraviolet radiation

- selective fractionation
- polymerase chain reaction, genetic alterations, 1523

Uremia

- abnormal cytoskeleton assembly
- platelets, 823

Urinary bladder

- transitional cell cancer
- ICAM-1 expression, 191

Vascular permeability factor

- its receptors and
- kidney and bladder carcinomas, 1255

Vasculature

- retinal wall
- in situ* hybridization, HIV-1 RNA, 1275

VCAM-1

- inducible expression
- vascular smooth muscle cells, rabbit atheroma, 1551
- E-selectin and
- in vivo* model, endothelial activation, 725

Villitis

- unknown etiology
- major infiltration of fetal tissue, maternal inflammatory cells, 473

Viruses

- diseases and
- 21st century, 1241

VLA-4

- LFA-1 and
- inhibition, cutaneous delayed-type hypersensitivity-induced inflammation, 1286

Warts

- viral
- keratin 17 as marker, epithelial transformation, 1667

White pulp

- reconstitution
- human bone marrow transplantation, 1111

Wilms' tumor

- anti-sense transcripts
- insulin-like growth factor-2, 1535

Wound healing

- cutaneous
- sequential expression, transforming growth factors α and β_1 , 130
- extracellular matrix proteins
- integrin cell substratum adhesion receptors, endothelium, 1458
- microvascular pericytes
- platelet-derived growth factor- β receptors, 1389

Wound repair

- excisional
- spatial and temporal patterns, TGF- $\beta_1/\beta_2/\beta_3$, 368

Xenografts

- hamster-into-rat
- humoral and cellular immunopathology, liver and heart, 85

Zinc

- copper and manganese superoxide dismutase
- age-dependent basal level and induction capacity, leukocytes, 312

Index of Authors

Volume 143, 1993

Abbate M: see Bachinsky DR, 598

Abboud HE: see Barnes JL, 1366

Abo T: see Tomita Y, 191

Abraham JA: see Powell PP, 784

Abramovici M: see Mattana J, 814

Acevedo A, del Pozo MA, Arroyo AG, Sánchez-Mateos P, González-Amaro R, Sánchez-Madrid F: Distribution of ICAM-3-bearing cells in normal human tissues: expression of a novel counter-receptor for LFA-1 in epidermal Langerhans cells, 4, 77

Adachi K: see Jubasz I, 528

Adachi S: see Hirota S, 1003

Adema GJ, de Boer AJ, Hullenaar Rv, Denijn M, Ruiter DJ, Vogel AM, Fidgor CG: Melanocyte lineage-specific antigens recognized by monoclonal antibodies NKI-beteb, HMB-50, and HMB-45 are encoded by a single cDNA, 1579

Agut H: see Reux I, 1275

Ahsan G: see Groves RW, 1220

Akamatsu H: see Niwa Y, 312

Akiguchi I: see Tomimoto H, 579

Akiyama H: see Tomimoto H, 579

Albelda SM: see Jubasz I, 528, 1458

Alberts GF: see Winkles JA, 518

Alkemade HAC, Molhuizen HOF, van Vlijmen-Willems IMJJ, van Haelst UJGM, Schalkwijk J: Differential expression of SKALP/elafin in human epidermal tumors, 1679

Allen MH: see Groves RW, 1220

Allison DC: see Hruban RH, 545

Amorosi A: see D'Adda T, 612

Anderson P: see Russell GJ, 350

Andres G: see Bachinsky DR, 598

Apotoulopoulos J: see Tipping PG, 875

Arnold R: see Eissele R, 283

Aronow BJ: see White DP, 763

Arroyo AG: see Acevedo A, 774

Asai J: see Nakayama A, 1111

Atherton SS: see Pflugfelder SC, 49

Atkins RC: see Fries JWU, 725

Auerbach R: see Polakowski IJ, 507

Baccarini P, Fiorentino M, D'Errico A, Mancini AM, Grigioni WF: Detection of anti-sense transcripts of the insulin-like growth factor-2 gene in Wilms' tumor, 1535

Bachinsky DR, Zheng G, Niles JL, McLaughlin M, Abbate M, Andres G, Brown D, McCluskey RT: Detection of two forms of GP330: their role in Heymann nephritis, 598

Bagga MR: see Hembry RM, 628

Barker JNWN: see Groves RW, 1220

Barna BP: see Estes ML, 337

Barnes JL, Abboud HE: Temporal expression of autocrine growth factors corresponds to morphological features of mesangial proliferation in habu snake venom-induced glomerulonephritis, 1366

Barnett J: see Perry G, 1586

Barnhill RL, Levy MA: Regressing thin cutaneous malignant melanomas (≤ 1.0 mm) are associated with angiogenesis, 99

Barrios R: see Chévez-Barrios P, 20

Barthold SW, de Souza MS, Janotka JL, Smith AL, Persing DH: Chronic lyme borreliosis in the laboratory mouse, 959

Baud L: see Philippe C, 1713

Baur I: see Paulus W, 154

Bell L: see Hauser IA, 173

Bell RH Jr: see Pettengill OS, 292

Bendayan M: see Malide D, 304

Benedetti A: see Chilosi M, 1348

Bennoun M, Rissel M, Engelhardt N, Guillouzo A, Briand P, Weber-Benarous A: Oval cell proliferation in early stages of hepatocarcinogenesis in Simian virus 40 large T transgenic mice, 1326

Benson M: see Colombel M, 390

Berse B: see Brown LF, 1255

Bhan AK: see Graeme-Cook F, 1416

Bhan AK: see Russell GJ, 350

Birchmeier W: see Moll R, 1731

Blight K, Rowland R, Hall P de la M, Lesniewski RR, Trowbridge R, LaBrooy JT, Gowans EJ: Immunohistochemical detection of the NS4 antigen of hepatitis C virus and its relation to histopathology, 1568

Bloemers HPJ: see van Neck JW, 269

Blumenfeld W: see Weidner N, 401

Boekelheide K, Lee J-W, Hall SJ, Rhind NR, Zaret KS: A tumorigenic murine Sertoli cell line that is temperature-sensitive for differentiation, 1159

Boes A: see Wolthuis AL, 1209

Bolgos G: see Wollenberg GK, 1121

Bolt PA: see Michie SA, 1688

Bordi C: see D'Adda T, 612

Bordin G: see Schneiderman J, 753
Bosch XF: see Kessis TD, 1398
Bose KK: see Hruban RH, 545
Bos JL: see Hruban RH, 545
Botney MD, Lipty MJ, Kaiser LR, Cooper JD, Parks WC, Mecham RP: Active collagen synthesis by pulmonary arteries in human primary pulmonary hypertension, 121
Brambilla C: see Brambilla E, 199
Brambilla E, Gazzeri S, Moro D, de Fromental CC, Gouyer V, Jacrot M, Brambilla C: Immunohistochemical study of p53 in human lung carcinomas, 199
Brandi ML: see D'Adda T, 612
Braun L, Mikumo R, Mark HFL, Lauchian S: Analysis of the growth properties and physical state of the human papillomavirus type 16 genome in cell lines derived from primary cervical tumors, 832
Breitschopf H: see Schmied M, 446
Breton-Goriu J: see Cramer EM, 1498
Brett J, Schmidt AM, Yan SD, Zou YS, Weidman E, Pinsky D, Nowygorod R, Neerer M, Przysiecki C, Shaw A, Migheli A, Stern D: Survey of the distribution of a newly characterized receptor for advanced glycation end products in tissues, 1699
Briand P: see Bennoun M, 1326
Broers JV, Raymond Y, Rot MK, Kuijpers H, Wagenaar SS, Ramaekers FCS: Nuclear A-type lamins are differentially expressed in human lung cancer subtypes, 211
Bromberg J: see Castle VP, 1543
Brown D: see Bachinsky DR, 598
Brown LF, Berse B, Jackman RW, Tognazzi K, Manseau EJ, Dvorak HF, Senger DR: Increased expression of vascular permeability factor (vascular endothelial growth factor) and its receptors in kidney and bladder carcinomas, 1255
Bucala R: see Nakamura Y, 1649
Burdick MD: see Lukacs NW, 1179
Burdick MD: see Smith DR, 794
Burger H: see van Gils FCJM, 1621
Bussolati G: see D'Adda T, 612
Butcher EC: see Michie SA, 1688
Butyan R: see Colombel M, 390
Caen JP: see Cramer EM, 1498
Cameron JL: see Hruban RH, 545
Carreras I: see Sipe JD, 1480
Carroll PR: see Weidner N, 401
Cases A: see Escolar G, 823
Castillo R: see Escolar G, 823
Castle VP, Heidelberger KP, Bromberg J, Ou X, Dole M, Nuñez G: Expression of the apoptosis-suppressing protein *bcl-2*, in neuroblastoma is as-
sociated with unfavorable histology and *N-myc* amplification, 1543
Cathcart ES: see Sipe JD, 1480
Celli S: see Langer A, 85
Cesarman E, Inghirami G, Chadburn A, Knowles DM: High levels of p53 protein expression do not correlate with p53 gene mutations in anaplastic large cell lymphoma, 845
Chadburn A: see Cesarman E, 845
Chain BM: see Coleman N, 355
Chaiwun B: see Esrig D, 1389
Chao MV: see Donovan MJ, 1560
Chen RH, Fugle SV: *In Situ* cDNA polymerase chain reaction: a novel technique for detecting mRNA expression, 1527
Chen S-C: see Esrig D, 1389
Chensue SW: see Smith DR, 794
Chévez-Barrios P, Schaffner DL, Barrios R, Overbeek PA, Lebovitz RM, Lieberman MW: Expression of the *rasT24* oncogene in the ciliary body pigment epithelium and retinal pigment epithelium results in hyperplasia, adenoma, and adenocarcinoma, 20
Chiang L: see Henke C, 1189
Chiang T: see Wong DTW, 130
Chilosí M, Lestani M, Benedetti A, Montagna L, Pedroni S, Scarpa A, Menestrina F, Hirohashi S, Pizzolo G, Semenzato G: Constitutive expression of tenascin in T-dependent zones of human lymphoid tissues, 1348
Cho KR: see Kessis TD, 1398
Chopin D: see Colombel M, 390
Chou LS: see Wong DTW, 130
Churchill L: see Proby CM, 1667
Clay MA: see White DP, 763
Clément B: see Loréal O, 538
Cliff WJ: see Zhang Y, 164, 496
Coates PJ: see Khan G, 1270
Cohen JI: see Picchio GR, 342
Coleman N, Greenfield IM, Hare J, Kruger-Gray H, Chain BM, Stanley MA: Characterization and functional analysis of the expression of intercellular adhesion molecule-1 in human papillomavirus-related disease of cervical keratinocytes, 355
Coleman WB: see Wennerberg AE, 1050
Collins T: see Fries JWU, 725
Colombel M, Symmans F, Gil S, O'Toole KM, Chopin D, Benson M, Olsson CA, Korsmeyer S, Butyan R: Detection of the apoptosis-suppressing oncogene *bcl-2* in hormone-refractory human prostate cancers, 390
Cooper JD: see Botney MD, 121
Corbin E: see Head MW, 1743
Cordell J: see Doussis-Anagnostopoulou I, 1040

Cote RJ: see Esrig D, 1389
Coulibaly C: see Müller JG, 699
Couvelard A, Scoazec J-Y, Feldmann G: Expression of cell-cell and cell-matrix adhesion proteins by sinusoidal endothelial cells in the normal and cirrhotic human liver, 738
Cox RS: see Medeiros LJ, 1086
Craig H: see Schneiderman J, 753
Cramer EM, Massé J-M, Caen JP, Garcia I, Breton-Gorius J, Debili N, Vainchenker W: Effect of thrombin on maturing human megakaryocytes, 1498
Crouch EC: see Liapis H, 1169
Crouse CA: see Pflugfelder SC, 49
Curcio-Brint AM: see Downing JR, 1294
Cutz E: see Silver MM, 1312
Cybulsky MI: see Li H, 1551
Czub S: see Müller JG, 699
Dabeva MD, Shafritz DA: Activation, proliferation, and differentiation of progenitor cells into hepatocytes in the D-galactosamine model of liver regeneration, 1606
D'Adda T, Amorosi A, Bussolati G, Brandi ML, Bordi C: Proliferation of endothelial component of parathyroid gland in multiple endocrine neoplasia type 1: potential relationship with a mitogenic factor, 612
Dalal BI, Keown PA, Greenberg AH: Immunocytochemical localization of secreted transforming growth factor- β , to the advancing edges of primary tumors and to lymph node metastases of human mammary carcinoma, 381
Danforth JM: see Smith DR, 794
Daniels TE: see Regezi JA, 240
Davenport P: see Tipping PG, 875
Davidson MG, Rottman JB, English RV, Lappin MR, Tompkins MB: Feline immunodeficiency virus predisposes cats to acute generalized toxoplasmosis, 1486
Davies CA, Mann DMA: Is the "preamyloid" of diffuse plaques in Alzheimer's disease really nonfibrillar?, 1594
de Beer FC: see Sipe JD, 1480
de Beer MC: see Sipe JD, 1480
Debili N: see Cramer EM, 1498
De Bleecker JL, Engel AG, Winkelmann JC: Localization of dystrophin and β -spectrin in vacuolar myopathies, 1200
de Boer AJ: see Adema GJ, 1579
DeForge LE: see Wollenberg GK, 1121
de Fromental CC: see Brambilla E, 199
Delecluse HJ: see Hamilton-Dutoit SJ, 1072
del Pozo MA: see Acevedo A, 774
De Luca LG: see Slowik MR, 1724
Demetris AJ: see Langer A, 85
Denijn M: see Adema GJ, 1579
D'Errico A: see Baccarini P, 1535
de Souza MS: see Barthold SW, 959
DeSouza YG: see Regezi JA, 240
DeWitt D: see Perry G, 1586
Díaz-Ricart M: see Escolar G, 823
Dickson DW: see Lee SC, 1032
Dijkstra CD: see van den Berg TK, 1098
Dijkstra CD: see Van Lent PLEM, 1226
DiPietro LA, Polverini PJ: Angiogenic macrophages produce the angiogenic inhibitor thrombospodin 1, 678
Dmitrovsky E: see Xiao Y-H, 1301
Dobi K: see Nakamura Y, 1649
Doggett R: see Medeiros LJ, 1086
Dole M: see Castle VP, 1543
Donoff RB: see Wong DTW, 130
Donovan MJ, Hempstead BL, Horvath C, Chao MV, Schofield D: Immunohistochemical localization of Trk receptor protein in pediatric small round blue cell tumors, 1560
Döpp EA: see van den Berg TK, 1098
Doran P: see Henke C, 1189
Dörries K: see Vailbrach A, 29
Dougherty GJ: see Vielkind JR, 656
Douglass ED: see Downing JR, 1294
Doussis-Anagnostopoulou I, Kaklamani L, Cordell J, Jones M, Turley H, Pulford K, Simmonds D, Mason D, Gatter K: ICAM-3 expression on endothelium in lymphoid malignancy, 1040
Downing JR, Head DR, Parham DM, Douglass ED, Hulshof MG, Link MP, Motroni TA, Grier HE, Curcio-Brint AM, Shapiro DN: Detection of the (11;22)(q24;q12) translocation of Ewing's sarcoma and peripheral neuroectodermal tumor by reverse transcription polymerase chain reaction, 1294
Dungworth DL: see Harkema JR, 857
Dvorak HF: see Brown LF, 1255
Ebi Y: see Kasugai T, 1337
Essele R, Neuhaus C, Trautmann ME, Funk A, Arnold R, Höfler H: Immunoreactivity and expression of amylin in gastroenteropancreatic endocrine tumors, 283
Elder DE: see Jubasz I, 528
Elovic A: see Wong DTW, 130
Engel AG: see De Bleecker JL, 1200
Engelhardt N: see Bennoun M, 1326
English RV: see Davidson MG, 1486
Erdman B: see Polakowski IJ, 507
Escolar G, Díaz-Ricart M, Cases A, Castillo R, Or-dinas A, White JG: Abnormal cytoskeletal assembly in platelets from uremic patients, 823
Esrig D, Spruck CH III, Nichols PW, Chaiwun B,

Steven K, Groshen S, Chen S-C, Skinner DG, Jones PA, Cote RJ: p53 Nuclear protein accumulation correlates with mutations in the p53 gene, tumor grade, and stage in bladder cancer, 1389

Estes ML, Iwasaki K, Jacobs BS, Barna BP: Interleukin-4 down-regulates adult human astrocyte DNA synthesis and proliferation, 337

Fahrenwald R: see Nuovo GJ, 40

Farber JL: see Tsukidate K, 918

Faris RA: see Pettengill OS, 292

Farquhar MG: see Lundstrom M, 1423

Feldmann G: see Couvelard A, 738

Feng H-m, Walker DH: Interferon- γ and tumor necrosis factor- α exert their antirickettsial effect via induction of synthesis of nitric oxide, 1016

Fiers W: see Slowik MR, 1724

Figdor CG: see Adema GJ, 1579

Fillet A-M: see Reux I, 1275

Filonzi EL: see Tipping PG, 875

Fiorentino M: see Baccarini P, 1535

Flax J: see Weidner N, 401

Fletcher JA: see Schofield DE, 714

Flory CM: see Warren JS, 894

Folkman J: see Weidner N, 401

Forde A: see Nuovo GJ, 40

Fouqueray B: see Philippe C, 1713

Fournier J-G: see Reux I, 1275

Fox J: see Henke C, 1189

Friend DS: see Huang SK, 10

Friesel R: see Winkles JA, 518

Fries JWU, Williams AJ, Atkins RC, Newman W, Lipscomb MF, Collins T: Expression of VCAM-1 and E-selectin in an *in vivo* model of endothelial activation, 725

Frixen UH: see Moll R, 1731

Fromaget C: see Loréal O, 538

Fuggle SV: see Chen RH, 1527

Fujinami RS: see Wada Y, 221

Fujino M: see Nakayama A, 1111

Fujiwara M: see Tomita Y, 191

Fukayama M, Ibuka T, Hayashi Y, Ooba T, Koike M, Mizutani S: Epstein-Barr virus in pyothorax-associated pleural lymphoma, 1044

Fung JJ: see Langer A, 85

Funk A: see Eissele R, 283

Futagami-Mizoguchi E, Yamada A, Mizoguchi A, Imai Y, Yokoyama MM: LFA-1 expression on exocrine glands as a potential novel marker of malignant disease, 672

Gabbiani G: see Vyalov SL, 1754

Galati P: see Roperto F, 643

Gallagher G: see Wong DTW, 130

Gallicchio M: see Tipping PG, 875

Galli SJ: see Wong DTW, 130

Garcia I: see Cramer EM, 1498

Gatter K: see Doussis-Anagnostopoulou I, 1040

Gauldie J: see Xing Z, 1009

Gazzera S: see Brambilla E, 199

Geib AB: see Medeiros LJ, 1086

Gencic M: see Vallbracht A, 29

Gentilini M: see Reux I, 1275

Gerdin B: see Sundberg C, 1377

Gerth H-J: see Vallbracht A, 29

Gijbels MJJ: see HogenEsch H, 972

Gilbert AR: see Smith DR, 794

Gilbert CS: see Hamanaka SC, 618

Gil S: see Colombel M, 390

Gimbrone MA: see Li H, 1551

Gisselbrecht C: see Hamilton-Dutoit SJ, 1072

Glover MT: see Proby CM, 1667

Glück T: see Vallbracht A, 29

Goebeis N: see Michaelis D, 1142

Goerke ME: see Tracy TF, 1574

Golde T: see Kalaria RN, 886

Gold LI: see Levine JH, 368

Goldman JE: see Head MW, 1743

Goldman JE: see Iwaki T, 487

Gold R: see Schmied M, 446

Gonnerman WA: see Sipe JD, 1480

González-Amaro R: see Acevedo A, 774

Goodman SN: see Hruban RH, 545

Gordon D: see Rekhter MD, 1634

Gossmann J: see Vallbracht A, 29

Goto I: see Muramoto T, 1470

Gouyer V: see Brambilla E, 199

Gowans EJ: see Blight K, 1568

Graeme-Cook F, Bhan AK, Harris NL: Immunohistochemical characterization of intraepithelial and subepithelial mononuclear cells of the upper airways, 1416

Grau GE: see Piguet PF, 651

Gray ST, Yun K, Motoori T, Kuys YM: Interstitial collagenase gene expression in colonic neoplasia, 663

Greenberg AH: see Dalal BI, 381

Greenberg BD: see Perry G, 1586

Greenfield IM: see Coleman N, 355

Greenspan D: see Regezi JA, 240

Greenspan JS: see Regezi JA, 240

Grier HE: see Downing JR, 1294

Grigioni WF: see Baccarini P, 1535

Grond J: see Wolthuis AL, 1209

Gros D: see Loréal O, 538

Groshen S: see Esrig D, 1389

Grosso LE: see Liapis H, 1169

Groves RW, Allen MH, Ross EL, Ahsan G, Barker

JNWN, MacDonald DM: Expression of selectin ligands by cutaneous squamous cell carcinoma, 1220

Gruppo RA: see White DP, 763

Guillouzo A: see Bennoun M, 1326

Guillouzo A: see Loréal O, 538

Gupta RK: see Khan G, 1270

Guyton JR, Klemp KF: Transitional features in human atherosclerosis: intimal thickening, cholesterol clefts, and cell loss in human aortic fatty streaks, 1444

Hall P de la M: see Blight K, 1568

Hall SJ: see Boekelheide K, 1159

Hamanaka SC, Gilbert CS, White DA, Parmley RT: Ultrastructural morphology, cytochemistry, and morphometry of eosinophil granules in Chédiak-Higashi syndrome, 618

Hamilton-Dutoit SJ, Rea D, Raphael M, Sandvej K, Delecluse HJ, Gisselbrecht C, Marelle L, van Krieken JHJM, Pallesen G: Epstein-Barr virus-latent gene expression and tumor cell phenotype in acquired immunodeficiency syndrome-related non-Hodgkin's lymphoma: correlation of lymphoma phenotype with three distinct patterns of viral latency, 1072

Han K: see Lee W, 15

Hansmann ML: see Küppers R, 230

Han SM: see Kessis TD, 1398

Hare J: see Coleman N, 355

Harkema JR, Plopper CG, Hyde DM, St. George JA, Wilson DW, Dungworth DL: Response of macaque bronchiolar epithelium to ambient concentrations of ozone, 857

Harmony JAK: see White DP, 763

Harms D: see Henke C, 1189

Harrington CR: see Mukaetova-Ladinska EB, 565

Harris CP: see Lee W, 15

Harris NL: see Graeme-Cook F, 1416

Hatch WC: see Lee SC, 1032

Hattori T: see Tsuchiya T, 431

Hauptmann S, Zwadlo-Klarwasser G, Jansen M, Klosterhalfen B, Kirkpatrick CJ: Macrophages and multicellular tumor spheroids in co-culture: a three-dimensional model to study tumor-host interactions: evidence for macrophage-mediated tumor cell proliferation and migration, 1406

Hauser IA, Setter E, Bell L, Madri JA: Fibronectin expression correlates with U937 cell adhesion to migrating bovine aortic endothelial cells *in vitro*, 173

Hauw J-J: see Reux I, 1275

Hayashi Y: see Fukayama M, 1044

Head DR: see Downing JR, 1294

Head MW, Corbin E, Goldman JE: Overexpression and abnormal modification of the stress proteins α B-crystallin and HSP27 in Alexander disease, 1743

Hedrick L: see Kessis TD, 1398

Heidelberger KP: see Castle VP, 1543

Heitz PU: see Hoorens A, 685

Hembry RM, Bagga MR, Murphy G, Henderson B, Reynolds JJ: Rabbit models of arthritis: immunolocalization of matrix metalloproteinases and tissue inhibitor of metalloproteinase in synovium and cartilage, 628

Hempstead BL: see Donovan MJ, 1560

Henderson B: see Hembry RM, 628

Hendrickson EA: The SCID mouse: relevance as an animal model system for studying human disease, 1511

Henke C, Marineilli W, Jessurun J, Fox J, Harms D, Peterson M, Chiang L, Doran P: Macrophage production of basic fibroblast growth factor in the fibroproliferative disorder of alveolar fibrosis after lung injury, 1189

Henson PM: see Laszlo DJ, 587

Herlyn D: see Jubasz I, 528

Herlyn M: see Jubasz I, 528, 1458

Higgins G: see Zhang Y, 164, 496

Hirabayashi N: see Nakayama A, 1111

Hirai K: see Sasajima Y, 1280

Hirohashi S: see Chilos M, 1348

Hirota S, Imakita M, Kohri K, Ito A, Morii E, Adachi S, Kim H-M, Kitamura Y, Yutani C, Nomura S: Expression of osteopontin messenger RNA by macrophages in atherosclerotic plaques: a possible association with calcification, 1003

Höfler H: see Eissele R, 283

Högåsen K: see Jansen JH, 1356

HogenEsch H, Gijbels MJJ, Offerman E, van Hooft J, van Bekkum DW, Zurcher C: A spontaneous mutation characterized by chronic proliferative dermatitis in C57BL mice, 972

Hohlfeld R: see Michaelis D, 1142

Hoorens A, Lemoine NR, McLellan E, Morohoshi T, Kamisawa T, Heitz PU, Stamm B, Rüschoff J, Wiedenmann B, Klöppel G: Pancreatic acinar cell carcinoma: an analysis of cell lineage markers, p53 expression, and Ki-ras mutation, 685

Horii Y: see Nakamura Y, 1649

Horning SJ: see Medeiros LJ, 1086

Horvath C: see Donovan MJ, 1560

Hosokawa Y: see Tsuchiya T, 431

Ho VC: see Vielkind JR, 656

Hruban RH, van Mansfeld ADM, Offerhaus JA, van Weering DHJ, Allison DC, Goodman SN, Ken-

sler TW, Bose KK, Cameron JL, Bos JL: K-ras oncogene activation in adenocarcinoma of the human pancreas: a study of 82 carcinomas using a combination of mutant-enriched polymerase chain reaction analysis and allele-specific oligonucleotide hybridization, 545

Huang SK, Martin FJ, Jay G, Vogel J, Papahadjopoulos D, Friend DS: Extravasation and transcytosis of liposomes in Kaposi's sarcoma-like dermal lesions of transgenic mice bearing the HIV tat gene, 10

Hullenaar RV: see Adema GJ, 1579

Hulshof MG: see Downing JR, 1294

Hunsmann G: see Müller JG, 699

Hunt JS: see Yelavarthi KK, 1131

Hyde DM: see Harkema JR, 857

Ibuka T: see Fukayama M, 1044

Iizawa O: see Niwa Y, 312

Imai K: see Tomita Y, 191

Imai S: see Tokunaga M, 1263

Imai Y: see Futagami-Mizoguchi E, 672

Imakita M: see Hirota S, 1003

Inghrami G: see Cesarman E, 845

Ishimoto K: see Niwa Y, 312

Isozaki K: see Kasugai T, 1337

Issekutz TB: Dual inhibition of VLA-4 and LFA-1 maximally inhibits cutaneous delayed-type hypersensitivity-induced inflammation, 1286

Ito A: see Hirota S, 1003

Itoh J, Nose M, Takahashi S, Ono M, Terasaki S, Kondoh E, Kyogoku M: Induction of different types of glomerulonephritis by monoclonal antibodies derived from an MRL/lpr lupus mouse, 1436

Ito M: see Nakayama A, 1111

Iwaki A: see Iwaki T, 487

Iwaki T, Iwaki A, Tateishi J, Sakaki Y, Goldman JE: α B-crystallin and 27-kd heat shock protein are regulated by stress conditions in the central nervous system and accumulate in Rosenthal fibers, 487

Iwasaki K: see Estes ML, 337

Iwasaki T: see Morita M, 419

Jackman RW: see Brown LF, 1255

Jackson CL, Reidy MA: Basic fibroblast growth factor: its role in the control of smooth muscle cell migration, 1024

Jacobs BS: see Estes ML, 337

Jacrot M: see Brambilla E, 199

Jalkanen S: see Joensuu H, 867

Janat MF: see Winkles JA, 518

Jancic V: see Stricklin GP, 1657

Janotka JL: see Barthold SW, 959

Jansen JH, Høgåsen K, Molines TE: Extensive complement activation in hereditary porcine mem- branoproliferative glomerulonephritis type II (porcine dense deposit disease), 1356

Jansen M: see Hauptmann S, 1406

Jay G: see Huang SK, 10

Jenkins SH: see White DP, 763

Jessurun J: see Henke C, 1189

Jippo-Kanemoto T: see Kasugai T, 1337

Joensuu H, Klemi PJ, Tolkkonen S, Jalkanen S: Glycoprotein CD44 expression and its association with survival in breast cancer, 867

Jones ML: see Warren JS, 894

Jones M: see Doussis-Anagnostopoulou I, 1040

Jones PA: see Esrig D, 1389

Jones RC: see Powell PP, 784

Jordana M: see Xing Z, 1009

Jothy S, Yuan S-Y, Shirota K: Transcription of carcinoembryonic antigen in normal colon and colon carcinoma: *in situ* hybridization study and implication for a new *in vivo* functional model, 250

Jubasz I, Albelda SM, Elder DE, Murphy GF, Adachi K, Herlyn D, Valyi-Nagy IT, Herlyn M: Growth and invasion of human melanomas in human skin grafted to immunodeficient mice, 528

Jubasz I, Murphy GF, Yan H-C, Herlyn M, Albelda SM: Regulation of extracellular matrix proteins and integrin cell substratum adhesion receptors on epithelium during cutaneous human wound healing *in vivo*, 1458

Kadota C: see Tsutsui Y, 804

Kagoshima T: see Nakamura Y, 1649

Kaiser LR: see Botney MD, 121

Kaklamannis L: see Doussis-Anagnostopoulou I, 1040

Kalaria RN, Golde T, Kroon SN, Perry G: Serine protease inhibitor antithrombin III and its messenger RNA in the pathogenesis of Alzheimer's disease, 886

Kalaria RN: see Perry G, 1586

Kamisawa T: see Hoorens A, 685

Kanoh T: see Niwa Y, 312

Kapanci Y: see Piguet PF, 651

Kapanci Y: see Vyalov SL, 1754

Karlsson S: see Kulkarni AB, 3

Karpuz V: see Piguet PF, 651

Kasai K: see Nakayama A, 1111

Kashiwai A: see Tsutsui Y, 804

Kasugai T, Oguri K, Jippo-Kanemoto T, Moromoto M, Yamatodani A, Yoshida K, Ebi Y, Isozaki K, Tei H, Tsujimura T, Nomura S, Okayama M, Kitamura Y: Deficient differentiation of mast cells in the skin of *mi/mi* mice: usefulness of *in situ* hybridization for evaluation of mast cell phenotype, 1337

Kawamura N: see Tsutsui Y, 804

Kawashima S: see Morita M, 419

Keeton MR: see Mackman N, 76
Kensler TW: see Hruban RH, 545
Keown PA: see Dalal BI, 381
Kerkau T: see Müller JG, 699
Kessis TD, Siebos RJ, Han SM, Shah K, Bosch XF, Muñoz N, Hedrick L, Cho KR: p53 Gene mutations and MDM2 amplification are uncommon in primary carcinomas of the uterine cervix, 1398
Khan G, Gupta RK, Coates PJ, Slavin G: Epstein-Barr virus infection and *bcl-2* proto-oncogene expression: separate events in the pathogenesis of Hodgkin's disease?, 1270
Kikuchi K: see Tsutsumi K, 1150
Kim H-M: see Hirota S, 1003
Kim S: see Lee W, 15
Kimura J: see Tomimoto H, 579
Kinsella MG: see Klebanoff SJ, 907
Kirkpatrick CJ: see Hauptmann S, 1406
Kirpalani H: see Xing Z, 1009
Kitamoto T: see Muramoto T, 1470
Kitamura Y: see Hirota S, 1003
Kitamura Y: see Kasugai T, 1337
Kitazawa S: see Liapis H, 1169
Kitchen S: see Tracy TF, 1574
Klagsbrun M: see Powell PP, 784
Klebanoff SJ, Kinsella MG, Wight TN: Degradation of endothelial cell matrix heparan sulfate proteoglycan by elastase and the myeloperoxidase-H₂O₂-O₂-chloride system, 907
Klemi PJ: see Joensuu H, 867
Klemp KF: see Guyton JR, 1444
Kliman HJ: Commentary. The placenta revealed, 332
Klöppel G: see Hoorens A, 685
Klosterhalfen B: see Hauptmann S, 1406
Kneitz C: see Müller JG, 699
Knowles DM: see Cesarman E, 845
Kobashi Y: see Sasajima Y, 1280
Kobayashi H: see Tomita Y, 191
Kohri K: see Hirota S, 1003
Koike M: see Fukayama M, 1044
Kondoh E: see Itoh J, 1436
Korsmeyer S: see Colombe M, 390
Kosugi I: see Muro H, 105
Kraal G: see van den Berg TK, 1098
Krenn V: see Müller JG, 699
Kress Y: see Lee SC, 1032
Kroon SN: see Kalaria RN, 886
Kruger-Gray H: see Coleman N, 355
Kubai L: see Polakowski IJ, 507
Kubota A: see Morita M, 419
Kuhlmann ET: see Pettengill OS, 292
Kuijpers H: see Broers JLV, 211
Kulkarni AB, Karlsson S: Transforming growth factor- β , knockout mice: a mutation in one cytokine gene causes a dramatic inflammatory disease, 3
Kunkel SL: see Lukacs NW, 1179
Kunkel SL: see Smith DR, 794
Küppers R, Zhao M, Rajewsky K, Hansmann ML: Detection of clonal B cell populations in paraffin-embedded tissues by polymerase chain reaction, 230
Kurihara H: see Lundstrom M, 1423
Kuys YM: see Gray ST, 663
Kyogoku M: see Itoh J, 1436
LaBrooy JT: see Blight K, 1568
Lagunoff D: see Tracy TF, 1574
Land CE: see Tokunaga M, 1250
Langer A, Valdivia LA, Murase N, Woo J, Celli S, Fung JJ, Starzl TE, Demetris AJ: Humoral and cellular immunopathology of hepatic and cardiac hamster-into-rat xenograft rejection: marked stimulation of IgM^{++bright}/IgD^{+dull} splenic B cells, 85
Lapis K: see Paku S, 926
Lappin MR: see Davidson MG, 1486
Lassmann H: see Piddesden SJ, 555
Lassmann H: see Schmied M, 446
Laszlo DJ, Henson PM, Remigio LK, Weinstein L, Sable C, Noble PW, Riches DWH: Development of functional diversity in mouse macrophages: mutual exclusion of two phenotypic states, 587
Lauchlan S: see Braun L, 832
Laurila P: see Väkevää A, 65
Lebovitz RM: see Chévez-Barrios P, 20
Lebret M: see Philippe C, 1713
Lee J-W: see Boekelheide K, 1159
Lee SC, Hatch WC, Liu W, Kress Y, Lyman WD, Dickson DW: Productive infection of human fetal microglia by HIV-1, 1032
Lee VM-Y: see Tohyama T, 258
Lee W, Han K, Harris CP, Shim S, Kim S, Meissner LF: Use of FISH to detect chromosomal translocations and deletions: analysis of chromosome rearrangement in synovial sarcoma cells from paraffin-embedded specimens, 15
LeHoang P: see Reux I, 1275
Lehr H-A, Leunig M, Menger MD, Nolte D, Messmer K: Dorsal skinfold chamber technique for intravital microscopy in nude mice, 1055
Leigh IM: see Proby CM, 1667
Lemoine NR: see Hoorens A, 685
Lesniewski RR: see Blight K, 1568
Lestani M: see Chilos M, 1348
Leunig M: see Lehr H-A, 1055
Levavasseur F: see Loréal O, 538
Levine JH, Moses HL, Gold LI, Nanney LB: Spatial and temporal patterns of immunoreactive transforming growth factor β_1 , β_2 , and β_3 during exci-

sional wound repair, 368

Levy MA: see Barnhill RL, 99

Lewis MK: see Polakowski IJ, 507

Liapis H, Crouch EC, Grosso LE, Kitazawa S, Wick MR: Expression of parathyroid-like protein in normal, proliferative, and neoplastic human breast tissues, 1169

Liau G: see Winkles JA, 518

Liaw L, Schwartz SM: Microtubule disruption stimulates DNA synthesis in bovine endothelial cells and potentiates cellular response to basic fibroblast growth factor, 937

Libby P: see Li H, 1551

Lieberman MW: see Chévez-Barrios P, 20

Li H, Cybusky MI, Gimbrone MA Jr, Libby P: Inducible expression of vascular cell adhesion molecule-1 by vascular smooth muscle cells *in vitro* and within rabbit atheroma, 1551

Li L: see Stricklin GP, 1657

Lindmark G: see Sundberg C, 1377

Lines LD: see Silver MM, 1312

Linington C: see Piddesden SJ, 555

Link MP: see Downing JR, 1294

Lipscomb MF: see Fries JWU, 725

Liptay MJ: see Botney MD, 121

Liu W: see Lee SC, 1032

Ljunström M: see Sundberg C, 1377

Löhler J: see Vallbracht A, 29

Londoño I: see Malide D, 304

Longnecker DS: see Pettengill OS, 292

Loréal O, Levavasseur F, Fromaget C, Gros D, Guillouzo A, Clément B: Cooperation of Ito cells and hepatocytes in the deposition of an extracellular matrix *in vitro*, 538

Loskutoff DJ: see Mackman N, 76

Loskutoff DJ: see Schneiderman J, 753

Lukacs NW, Kunkel SL, Burdick MD, Strieter RM: The production of chemotactic cytokines in an allogeneic response: the role of intercellular adhesion molecule-1 and lymphocyte function-antigen-3, 1179

Lundstrom M, Orlando RA, Saedi MS, Woodward L, Kurihara H, Farquhar MG: Immunocytochemical and biochemical characterization of the Heymann nephritis antigenic complex in rat L2 yolk sac cells, 1423

Lyman WD: see Lee SC, 1032

MacConnell P: see Nuovo GJ, 40

MacDonald DM: see Groves RW, 1220

Mackman N, Sawdaye MS, Keeton MR, Loskutoff DJ: Murine tissue factor gene expression *in vivo*: tissue and cell specificity and regulation by lipopolysaccharide, 76

MacPhail LA: see Regezi JA, 240

Madri JA: see Hauser IA, 173

Makita Z: see Nakamura Y, 1649

Malide D, Londoño I, Russo P, Bendayan M: Ultrastructural localization of DNA in immune deposits of human lupus nephritis, 304

Mancini AM: see Baccarini P, 1535

Mann DMA: see Davies CA, 1594

Manseau EJ: see Brown LF, 1255

Marelle L: see Hamilton-Dutoit SJ, 1072

Marinelli W: see Henke C, 1189

Mark HFL: see Braun L, 832

Mars WM, Zarnegar R, Michalopoulos GK: Activation of hepatocyte growth factor by the plasminogen activators uPA and tPA, 949

Martin FJ: see Huang SK, 10

Marvin M: see Tohyama T, 258

Mason D: see Doussis-Anagnostopoulou I, 1040

Massé J-M: see Cramer EM, 1498

Matossian K: see Wong DTW, 130

Mattana J, Abramovici M, Singhal PC: Effects of human immunodeficiency virus sera and macrophage supernatants on mesangial cell proliferation and matrix synthesis, 814

McBride J: see Wong DTW, 130

McCluskey RT: see Bachinsky DR, 598

McGregor B: see Medeiros LJ, 1086

McKay RDG: see Tohyama T, 258

McLaughlin M: see Bachinsky DR, 598

McLellan E: see Hoorens A, 685

Mecham RP: see Botney MD, 121

Medeiros LJ, Gelb AB, Wolfson K, Doggett R, McGregor B, Cox RS, Horning SJ, Warneke RA: Major histocompatibility complex class I and class II antigen expression in diffuse large cell and large cell immunoblastic lymphomas: absence of a correlation between antigen expression and clinical outcome, 1086

Medina JJ: see van Neck JW, 269

Meisner LF: see Lee W, 15

Menestrina F: see Chilos M, 1348

Menger MD: see Lehr H-A, 1055

Meri S: see Väkevä A, 65

Messmer K: see Lehr H-A, 1055

Michaelis D, Goebels N, Hohlfeld R: Constitutive and cytokine-induced expression of human leukocyte antigens and cell adhesion molecules by human myotubes, 1142

Michalopoulos GK: see Mars WM, 949

Michie SA, Streeter PR, Bolt PA, Butcher EC, Picker LJ: The human peripheral lymph node vascular addressin: an inducible endothelial antigen involved in lymphocyte homing, 1688

Migheli A: see Brett J, 1699

Mikata A: see Oda K, 1063

Mikumo R: see Braun L, 832
Miller WH Jr: see Xiao Y-H, 1301
Mitze M: see Moll R, 1731
Miyasaka M: see Seekamp A, 464
Miyasaka M: see Yamazaki T, 410
Mizoguchi A: see Futagami-Mizoguchi E, 672
Mizutani S: see Fukayama M, 1044
Molhuizen HOF: see Alkemade HAC, 1679
Mollnes TE: see Jansen JH, 1356
Moll R, Mitze M, Frixen UH, Birchmeier W: Differential loss of E-cadherin expression in infiltrating ductal and lobular breast carcinomas, 1731
Monroy D: see Pflugfelder SC, 49
Montagna L: see Chilos M, 1348
Morgan BP: see Piddlesden SJ, 555
Mori E: see Hirota S, 1003
Mori S: see Sasajima Y, 1280
Morita M, Kawashima S, Ueno M, Kubota A, Iwasaki T: Effects of late reperfusion on infarct expansion and infarct healing in conscious rats, 419
Moro D: see Brambilla E, 199
Morohoshi T: see Hoorens A, 685
Moromoto M: see Kasugai T, 1337
Moses HL: see Levine JH, 368
Mosier DE: see Picchio GR, 342
Motoori T: see Gray ST, 663
Motroni TA: see Downing JR, 1294
Mukaetova-Ladinska EB, Harrington CR, Roth M, Wischik CM: Biochemical and anatomical redistribution of Tau protein in Alzheimer's disease, 565
Mulder AH: see van Gils FCJM, 1621
Müller-Hermelink HK: see Müller JG, 699
Müller JG, Krenn V, Schindler C, Czub S, Stahl-Hennig C, Coulibaly C, Hunsmann G, Kneitz C, Kerkau T, Rethwilm A, terMeulen V, Müller-Hermelink HK: Alterations of thymus cortical epithelium and interdigitating dendritic cells but no increase of thymocyte cell death in the early course of Simian immunodeficiency virus infection, 699
Mulligan MS: see Seekamp A, 464
Mulvihill P: see Perry G, 1586
Muñoz N: see Kessis TD, 1398
Muramoto T, Kitamoto T, Tateishi J, Goto I: Accumulation of abnormal prion protein in mice infected with Creutzfeldt-Jakob disease via intraperitoneal route: a sequential study, 1470
Murase N: see Langer A, 85
Muro H, Shirasawa H, Kosugi I, Nakamura S: Defect of Fc receptors and phenotypical changes in sinusoidal endothelial cells in human liver cirrhosis, 105
Murphy GF: see Jubasz I, 528, 1458
Murphy G: see Hembry RM, 628
Muthukkaruppan VR: see Polakowski IJ, 507
Nagai R: see Yamazaki T, 410
Nagler-Anderson C: see Russell GJ, 350
Nagura N: see Wong DTW, 130
Nakajima N: see Oda K, 1063
Nakamura S: see Muro H, 105
Nakamura Y, Horii Y, Nishino T, Shiiki H, Sakaguchi Y, Kagoshima T, Dobi K, Makita Z, Vlassara H, Bucala R: Immunohistochemical localization of advanced glycosylation endproducts in coronary atheroma and cardiac tissue in diabetes mellitus, 16, 49
Nakayama A, Hirabayashi N, Ito M, Kasai K, Fujino M, Ohbayashi M, Asai J: White pulp reconstitution after human bone marrow transplantation, 1111
Nalesnik MA: see Wennerberg AE, 1050
Nanney LB: see Levine JH, 368
Nanney LB: see Stricklin GP, 1657
Narayanan AS: see Rekhter MD, 1634
Neepher M: see Brett J, 1699
Neuhaus C: see Eissele R, 283
Newman W: see Fries JWU, 725
Nichols PW: see Esrig D, 1389
Nickoloff BJ, Turka LA: Editorial. Keratinocytes: key immunocytes of the integument, 325
Nicosia RF: see Villaschi S, 181
Niles JL: see Bachinsky DR, 598
Nishino T: see Nakamura Y, 1649
Nishiyama T: see Tomita Y, 191
Niwa Y, Iizawa O, Ishimoto K, Akamatsu H, Kanoh T: Age-dependent basal level and induction capacity of copper-zinc and manganese superoxide dismutase and other scavenging enzyme activities in leukocytes from young and elderly adults, 312
Noble PW: see Laszlo DJ, 587
Nolte D: see Lehr H-A, 1055
Nomura S: see Hirota S, 1003
Nomura S: see Kasugai T, 1337
Nose M: see Itoh J, 1436
Nowyngrod R: see Brett J, 1699
Nuñez G: see Castle VP, 1543
Nunomura M: see Oda K, 1063
Nuovo GJ, Forde A, MacConnell P, Fahrenwald R: *In situ* detection of PCR-amplified HIV-1 nucleic acids and tumor necrosis factor cDNA in cervical tissues, 40
Oda K, Tamari J, Takenouchi T, Mikata A, Nunomura M, Saitoh N, Sarashina H, Nakajima N: Association of Epstein-Barr virus with gastric carcinoma with lymphoid stroma, 1063
Offerhaus JA: see Hruban RH, 545
Offerman E: see HogenEsch H, 972
Oguri K: see Kasugai T, 1337
Ohbayashi M: see Nakayama A, 1111

Ohta Y: see Tsutsumi K, 1150

Okayama M: see Kasugai T, 1337

Okumura K: see Yamazaki T, 410

Oldstone MBA: Viruses and disease of the twenty-first century, 1239

Olsson CA: see Colombel M, 390

Onnekink C: see van Neck JW, 269

Ono M: see Itoh J, 1436

Ooba T: see Fukayama M, 1044

Ordinas A: see Escolar G, 823

Orlando RA: see Lundstrom M, 1423

Orringer MB: see Smith DR, 794

Osato T: see Tokunaga M, 1263

O'Toole KM: see Colombel M, 390

Ou X: see Castle VP, 1543

Overbeek PA: see Chévez-Barrios P, 20

Paku S, Lapis K: Morphological aspects of angiogenesis in experimental liver metastases, 926

Palleesen G: see Hamilton-Dutoit SJ, 1072

Papahadjopoulos D: see Huang SK, 10

Parham DM: see Downing JR, 1294

Parks WC: see Botney MD, 121

Parmley RT: see Hamanaka SC, 618

Parvin CA: see Schmidt RE, 143

Pater A: see Tsutsumi K, 1150

Pater MM: see Tsutsumi K, 1150

Patterson P: see Redline RW, 473

Paulus W, Baur I, Schuppan D, Roggendorf W: Characterization of integrin receptors in normal and neoplastic human brain, 154

Pedron S: see Chilos M, 1348

Perez J: see Philippe C, 1713

Perry G, Richey PL, Siedlak SL, Smith MA, Mulvihill P, DeWitt D, Barnett J, Greenberg BD, Kalaria RN: Immunocytochemical evidence that the β -protein precursor is an integral component of neurofibrillary tangles of Alzheimer's disease, 1586

Perry G: see Kalaria RN, 886

Persing DH: see Barthold SW, 959

Petersen D: see Vallbracht A, 29

Peterson M: see Henke C, 1189

Pettengill OS, Faris RA, Bell RH Jr, Kuhlmann ET, Longnecker DS: Derivation of ductlike cell lines from a transplantable acinar cell carcinoma of the rat pancreas, 292

Pflugfelder SC, Crouse CA, Monroy D, Yen M, Rowe M, Atherton SS: Epstein-Barr virus and the lacrimal gland pathology of Sjögren's syndrome, 49

Phan S: see Rekhter MD, 1634

Philippeaux M-M, Piguet PF: Expression of tumor necrosis factor- α and its mRNA in the endometrial mucosa during the menstrual cycle, 480

Philippe B: see Philippe C, 1713

Philippe C, Philippe B, Fouqueray B, Perez J, Lebret M, Baud L: Protection from tumor necrosis factor-mediated cytosis by platelets, 1713

Phillips MJ: see Silver MM, 1312

Picchio GR, Cohen JI, Wyatt ER, Mosier DE: Enhanced tumorigenicity of an Epstein-Barr virus-transformed lymphoblastoid cell line is associated with a unique 1:18 chromosomal translocation and decreased expression of lymphocyte function associated antigen-1a (CD11A), 342

Picker LJ: see Michie SA, 1688

Piddlesden SJ, Lassmann H, Zimprich F, Morgan BP, Linington C: The demyelinating potential of antibodies to myelin oligodendrocyte glycoprotein is related to their ability to fix complement, 555

Piguet PF, Ribaux C, Karpuz V, Grau GE, Kapanci Y: Expression and localization of tumor necrosis factor- α and its mRNA in idiopathic pulmonary fibrosis, 651

Piguet PF: see Philippeaux M-M, 480

Pinsky D: see Brett J, 1699

Pizzolo G: see Chilos M, 1348

Plopper CG: see Harkema JR, 857

Plurad SB: see Schmidt RE, 143

Pober JS: see Slowik MR, 1724

Polakowski IJ, Lewis MK, Muthukkaruppan VR, Erdman B, Kubai L, Auerbach R: A ribonuclease inhibitor expresses anti-angiogenic properties and leads to reduced tumor growth in mice, 507

Polverini PJ: see DiPietro LA, 678

Powell PP, Klagsbrun M, Abraham JA, Jones RC: Eosinophils expressing heparin-binding EGF-like growth factor mRNA localize around lung microvessels in pulmonary hypertension, 784

Proby CM, Churchill L, Purkis PE, Glover MT, Sexton CJ, Leigh IM: Keratin 17 expression as a marker for epithelial transformation in viral warts, 1667

Przysiecki C: see Brett J, 1699

Pulford K: see Doussis-Anagnostopoulou I, 1040

Purkis PE: see Proby CM, 1667

Rajewsky K: see Küppers R, 230

Ramaekers FCS: see Broers JLV, 211

Raphael M: see Hamilton-Dutoit SJ, 1072

Raymond Y: see Broers JLV, 211

Rea D: see Hamilton-Dutoit SJ, 1072

Redline RW, Patterson P: Villitis of unknown etiology is associated with major infiltration of fetal tissue by maternal inflammatory cells, 473

Regezi JA, MacPhail LA, Daniels TE, DeSouza YG, Greenspan JS, Greenspan D: Human immunodeficiency virus-associated oral Kaposi's sarcoma: a heterogeneous cell population dominated by

spindle-shaped endothelial cells, 240

Reidy MA: see Jackson CL, 1024

Rekhter MD, Zhang K, Narayanan AS, Phan S, Schork MA, Gordon D: Type I collagen gene expression in human atherosclerosis: localization to specific plaque regions, 1634

Remick DG: see Seekamp A, 453

Remick DG: see Wollenberg GK, 1121

Remigio LK: see Laszlo DJ, 587

Rethwilm A: see Müller JG, 699

Reux I, Fillet A-M, Fournier J-G, Agut H, Gentilini M, LeHoang P, Hauw J-J: *In situ* hybridization of HIV-1 RNA in retinal vascular wall, 1275

Reynolds JJ: see Hembry RM, 628

Rhind NR: see Boekelheide K, 1159

Ribaux C: see Piguet PF, 651

Riches DWH: see Laszlo DJ, 587

Richey PL: see Perry G, 1586

Rissel M: see Bennoun M, 1326

Roggendorf W: see Paulus W, 154

Rolfe MW: see Smith DR, 794

Roperto F, Galati P, Rossacco P: Immotile cilia syndrome in pigs: a model for human disease, 643

Rorke LB: see Tohyama T, 258

Rossacco P: see Roperto F, 643

Ross EL: see Groves RW, 1220

Ross R: Atherosclerosis: a defense mechanism gone awry, 985

Rothe G: see Schmied M, 446

Roth KA: see Schmidt RE, 143

Roth M: see Mukaetova-Ladinska EB, 565

Rot MK: see Broers JL, 211

Rottman JB: see Davidson MG, 1486

Rowe M: see Pflugfelder SC, 49

Rowland R: see Blight K, 1568

Rubin K: see Sundberg C, 1377

Ruiter DJ: see Adema GJ, 1579

Rüschoff J: see Hooren A, 685

Russell GJ, Nagler-Anderson C, Anderson P, Bhan AK: Cytotoxic potential of intraepithelial lymphocytes (IELs): presence of TIA-1, the cytolytic granule-associated protein, in human IELs in normal and diseased intestine, 350

Russo P: see Malide D, 304

Sable C: see Laszlo DJ, 587

Sadaghiani B: see Vielkind JR, 656

Saedi MS: see Lundstrom M, 1423

Saitoh N: see Oda K, 1063

Sakaguchi Y: see Nakamura Y, 1649

Sakaki Y: see Iwaki T, 487

Sánchez-Madrid F: see Acevedo A, 774

Sánchez-Mateos P: see Acevedo A, 774

Sandvej K: see Hamilton-Dutoit SJ, 1072

Sarashina H: see Oda K, 1063

Sasajima Y, Yamabe H, Kobashi Y, Hirai K, Mori S: High expression of the Epstein-Barr virus latent protein EB nuclear antigen-2 on pyothorax-associated lymphomas, 1280

Sato E: see Tokunaga M, 1250, 1263

Sato S: see Tomita Y, 191

Sawdey M: see Schneiderman J, 753

Sawdey MS: see Mackman N, 76

Scarpa A: see Chilos M, 1348

Schaffner DL: see Chévez-Barrios P, 20

Schalkwijk J: see Alkemade HAC, 1679

Schindler C: see Müller JG, 699

Schmidt AM: see Brett J, 1699

Schmidt BM: see Vielkind JR, 656

Schmidt RE, Plurad SB, Parvin CA, Roth KA: Effect of diabetes and aging on human sympathetic autonomic ganglia, 143

Schmied M, Breitschopf H, Gold R, Zischler H, Rothe G, Wekerle H, Lassmann H: Apoptosis of T lymphocytes in experimental autoimmune encephalomyelitis: evidence for programmed cell death as a mechanism to control inflammation in the brain, 446

Schneiderman J, Sawdey M, Craig H, Thinnnes T, Bordin G, Loskutoff DJ: Type 1 plasminogen activator inhibitor gene expression following partial hepatectomy, 753

Schoevel GI: see Zhang Y, 164, 496

Schofield DE, Yunis EJ, Fletcher JA: Chromosome aberrations in mesoblastic nephroma, 714

Schoff D: see Donovan MJ, 1560

Schork MA: see Rekhter MD, 1634

Schuppan D: see Paulus W, 154

Schwartz SM: see Liaw L, 937

Schwartz SM: see van Neck JW, 269

Scoazec J-Y: see Couvelard A, 738

Seekamp A, Mulligan MS, Till GO, Smith CW, Miyasaka M, Tamatani T, Todd RF III, Ward PA: Role of $\beta 2$ integrins and ICAM-1 in lung injury following ischemia-reperfusion of rat hind limbs, 464

Seekamp A, Warren JS, Remick DG, Till GO, Ward PA: Requirements for tumor necrosis factor- α and interleukin-1 in limb ischemia/reperfusion injury and associated lung injury, 453

Seko Y: see Yamazaki T, 410

Semenzato G: see Chilos M, 1348

Senger DR: see Brown LF, 1255

Setter E: see Hauser IA, 173

Sexton CJ: see Proby CM, 1667

Shafritz DA: see Dabeva MD, 1606

Shah K: see Kessis TD, 1398

Shapiro DN: see Downing JR, 1294

Shaw A: see Brett J, 1699

Shibata D: Selective ultraviolet radiation fractionation and polymerase chain reaction analysis of genetic alterations, 1523

Shiiki H: see Nakamura Y, 1649

Shim S: see Lee W, 15

Shirasawa H: see Muro H, 105

Shirota K: see Jothy S, 250

Siedlak SL: see Perry G, 1586

Silver MM, Valberg LS, Cutz E, Lines LD, Phillips MJ: Hepatic morphology and iron quantitation in perinatal hemochromatosis: comparison with a large perinatal control population, including cases with chronic liver disease, 1312

Simmons D: see Doussis-Anagnostopoulou I, 1040

Singhal PC: see Mattana J, 814

Sipe JD, Carreras I, Gonnerman WA, Cathcart ES, de Beer MC, de Beer FC: Characterization of the inbred CE/J mouse strain as amyloid resistant, 1480

Skinner DG: see Esrig D, 1389

Slavin G: see Khan G, 1270

Slebos RJ: see Kessis TD, 1398

Slowik MR, De Luca LG, Fiers W, Pober JS: Tumor necrosis factor activates human endothelial cells through the p55 tumor necrosis factor receptor but the p75 receptor contributes to activation at low tumor necrosis factor concentration, 1724

Smith AL: see Barthold SW, 959

Smith CJ: see Vielkind JR, 656

Smith CW: see Seekamp A, 464

Smith DR, Kunkel SL, Standiford TJ, Chensue SW, Rolfe MW, Orringer MB, Whyte RI, Burdick MD, Danforth JM, Gilbert AR, Strieter RM: The production of interleukin-1 receptor antagonist by human bronchogenic carcinoma, 794

Smith MA: see Perry G, 1586

Snyder JW: see Tsukidate K, 918

Song B-Z: see Wong DTW, 130

Spanjaards MFR: see Van Lent PLEM, 1226

Spruck CH III: see Esrig D, 1389

Stahl-Hennig C: see Müller JG, 699

Stamm B: see Hooren A, 685

Standiford TJ: see Smith DR, 794

Stanley MA: see Coleman N, 355

Starzl TE: see Langer A, 85

Stauderman ML: see White DP, 763

Stern D: see Brett J, 1699

Steven K: see Esrig D, 1389

St. George JA: see Harkema JR, 857

Streeter PR: see Michie SA, 1688

Stricklin GP, Li L, Jancic V, Wenczak BA, Nanney LB: Localization of mRNAs representing collagenase and TIMP in sections of healing human burn wounds, 1657

Strieter RM: see Lukacs NW, 1179

Strieter RM: see Smith DR, 794

Stuart WD: see White DP, 763

Sundberg C, Ljunström M, Lindmark G, Gerdin B, Rubin K: Microvascular pericytes express platelet-derived growth factor- β receptors in human healing wounds and colorectal adenocarcinoma, 1377

Sun Q: see Tsutsumi K, 1150

Symmans F: see Colombel M, 390

Takagi K: see Tsuchiya T, 431

Takahashi K: see Tsuchiya T, 431

Takahashi S: see Itoh J, 1436

Takenouchi T: see Oda K, 1063

Takeya M: see Tsuchiya T, 431

Tamaru J: see Oda K, 1063

Tamatani T: see Seekamp A, 464

Tamatani T: see Yamazaki T, 410

Tanaka S: see Tokunaga M, 1250

Tateishi J: see Iwaki T, 487

Tateishi J: see Muramoto T, 1470

Tector AJ: see Tracy TF, 1574

Tei H: see Kasugai T, 1337

Terasaki S: see Itoh J, 1436

terMeulen V: see Müller JG, 699

Thinnnes T: see Schneiderman J, 753

Till GO: see Seekamp A, 453, 464

Tipping PG, Davenport P, Gallicchio M, Filonzi EL, Apotoulopoulos J, Wojta J: Atheromatous plaque macrophages produce plasminogen activator inhibitor type-1 and stimulate its production by endothelial cells and vascular smooth muscle cells, 5, 87

Todd RF III: see Seekamp A, 464

Todd R: see Wong DTW, 130

Tognazzi K: see Brown LF, 1255

Tohyama T, Lee VM-Y, Rorke LB, Marvin M, McKay RDG, Trojanowski JQ: Monoclonal antibodies to a rat nestin fusion protein recognize a 220-kDa polypeptide in subsets of fetal and adult human central nervous system neurons and in primitive neuroectodermal tumor cells, 258

Toikkanen S: see Joensuu H, 867

Tokudome T: see Tokunaga M, 1250, 1263

Tokunaga M, Imai S, Uemura Y, Tokudome T, Osato T, Sato E: Epstein-Barr virus in adult T-cell leukemia/lymphoma, 1263

Tokunaga M, Land CE, Uemura Y, Tokudome T, Tanaka S, Sato E: Epstein-Barr virus in gastric carcinoma, 1250

Tomimoto H, Akiuchi I, Akiyama H, Kimura J, Yanagihara T: T-cell infiltration and expression of MHC class II antigen by macrophages and microglia in a heterogeneous group in leukoencephalopathy, 579

Tomita Y, Watanabe H, Kobayashi H, Nishiyama T, Tsuji S, Imai K, Abo T, Fujiwara M, Sato S: Expression of intercellular adhesion molecule-1 on transitional cell cancer: possible significance in immunity against tumor cells, 191

Tompkins MB: see Davidson MG, 1486

Torry D: see Xing Z, 1009

Tracy TF Jr, Tector AJ, Goerke ME, Kitchen S, Lagunoff D: Somatostatin analogue (octreotide) inhibits bile duct epithelial cell proliferation and fibrosis after extrahepatic biliary obstruction, 1574

Trautmann ME: see Eissele R, 283

Trojanowski JQ: see Tohyama T, 258

Tron VA: see Vielkind JR, 656

Trowbridge R: see Blight K, 1568

Tsuchiya T, Takahashi K, Takeya M, Hosokawa Y, Hattori T, Takagi K: Immunohistochemical, quantitative immunochemical microscopic, and DNA cytofluorometric characterization of chemically induced rat malignant fibrous histiocytoma, 431

Tsujimura T: see Kasugai T, 1337

Tsuji S: see Tomita Y, 191

Tsukidate K, Yamamoto K, Snyder JW, Farber JL: Microtubule antagonists activate programmed cell death (apoptosis) in cultured rat hepatocytes, 918

Tsutsui Y, Kashiwai A, Kawamura N, Kadota C: Microphthalmia and cerebral atrophy induced in mouse embryos by infection with murine cytomegalovirus in midgestation, 804

Tsutsumi K, Sun Q, Yasumoto S, Kikuchi K, Ohta Y, Pater A, Pater MM: *In vitro* and *in vivo* analysis of cellular origin of cervical squamous metaplasia, 1150

Turka LA: see Nickoloff BJ, 325

Turley H: see Doussis-Anagnostopoulou I, 1040

Uemura Y: see Tokunaga M, 1250, 1263

Ueno M: see Morita M, 419

Vainchenker W: see Cramer EM, 1498

Väkevä A, Laurila P, Meri S: Regulation of complement membrane attack complex formation in myocardial infarction, 65

Valberg LS: see Silver MM, 1312

Valdivia LA: see Langer A, 85

Vallbracht A, Löhler J, Gossmann J, Glück T, Petersen D, Gerth H-J, Gencic M, Dörries K: Disseminated BK type polyomavirus infection in an AIDS patient associated with central nervous system disease, 29

Valyi-Nagy IT: see Jubasz I, 528

van Bekkum DW: see HogenEsch H, 972

van den Berg TK, van der Ende M, Döpp EA, Kraal G, Dijkstra CD: Localization of $\beta 1$ integrins and their extracellular ligands in human lymphoid tissues, 1098

Van den Berg WB: see Van Lent PLEM, 1226

Van den Bersselaar LAM: see Van Lent PLEM, 1226

Van den Bos C: see van Gils FCJM, 1621

Van den Hoek AEM: see Van Lent PLEM, 1226

Van de Putte LBA: see Van Lent PLEM, 1226

van der Ende M: see van den Berg TK, 1098

van der Ven PFM: see van Neck JW, 269

van Gils FCJM, Mulder AH, van den Bos C, Burger H, van Leen RW, Wagemaker G: Acute side effects of homologous interleukin-3 in rhesus monkeys, 1621

van Haelst UJGM: see Alkemade HAC, 1679

van Hooft J: see HogenEsch H, 972

van Krieken JHM: see Hamilton-Dutoit SJ, 1072

van Leen RW: see van Gils FCJM, 1621

Van Lent PLEM, Van den Hoek AEM, Van den Bersselaar LAM, Spanjaards MFR, Van Rooijen N, Dijkstra CD, Van de Putte LBA, Van den Berg WB: *In vivo* role of phagocytic synovial lining cells in onset of experimental arthritis, 1226

van Mansfeld ADM: see Hruban RH, 545

van Neck JW, Medina JJ, Onnekink C, van der Ven PFM, Bloemers HPJ, Schwartz SM: Basic fibroblast growth factor has a differential effect on MyoD conversion of cultured aortic smooth muscle cells from newborn and adult rats, 269

Van Rooijen N: see Van Lent PLEM, 1226

van Vlijmen-Willems IMJJ: see Alkemade HAC, 1679

van Weering DHJ: see Hruban RH, 545

Vielkind JR, Tron VA, Schmidt BM, Dougherty GJ, Ho VC, Woolcock BW, Sadaghiani B, Smith CJ: A putative marker for human melanoma: a monoclonal antibody derived from the melanoma gene in the *Xiphophorus* melanoma model, 656

Villaschi S, Nicosia RF: Angiogenic role of endogenous basic fibroblast growth factor released by rat aorta after injury, 181

Vlassara H: see Nakamura Y, 1649

Vogel AM: see Adema GJ, 1579

Vogel J: see Huang SK, 10

Vyalov SL, Gabbiani G, Kapanci Y: Rat alveolar myofibroblasts acquire α -smooth muscle actin expression during bleomycin-induced pulmonary fibrosis, 1754

Wada Y, Fujinami RS: Viral infection and dissemination through the olfactory pathway and the limbic system by Theiler's virus, 221

Wagemaker G: see van Gils FCJM, 1621

Wagenaar SS: see Broers JL, 211

Walker DH: see Feng H-m, 1016

Ward PA: see Seekamp A, 453, 464

Warnke RA: see Medeiros LJ, 1086

Warrell RP Jr: see Xiao Y-H, 1301

Warren JS, Jones ML, Flory CM: Analysis of monocyte chemoattractant protein 1-mediated lung injury using rat lung organ cultures, 894

Warren JS: see Seekamp A, 453

Watanabe H: see Tomita Y, 191

Weber-Benarous A: see Bennoun M, 1326

Weidman E: see Brett J, 1699

Weidner N, Carroll PR, Flax J, Blumenfeld W, Folkman J: Tumor angiogenesis correlates with metastasis in invasive prostate carcinoma, 401

Weinstein L: see Laszlo DJ, 587

Wekerle H: see Schmid M, 446

Weller PF: see Wong DTW, 130

Wenczak BA: see Stricklin GP, 1657

Wennerberg AE, Nalesnik MA, Coleman WB: Hepatocyte paraffin 1: a monoclonal antibody that reacts with hepatocytes and can be used for differential diagnosis of hepatic tumors, 1050

White DA: see Hamanaka SC, 618

White DP, Aronow BJ, Stauderman ML, Stuart WD, Clay MA, Gruppo RA, Jenkins SH, Harmony JAK: Platelet activation releases megakaryocyte-synthesized apolipoprotein J, a highly abundant protein in atherosomatous lesions, 763

White JG: see Escolar G, 823

Whyte RI: see Smith DR, 794

Wick MR: see Liapis H, 1169

Wiedenmann B: see Hoorens A, 685

Wight TN: see Klebanoff SJ, 907

Williams AJ: see Fries JWU, 725

Wilson DW: see Harkema JR, 857

Winkelmann JC: see De Bleecker JL, 1200

Winkles JA, Friesel R, Alberts GF, Janat MF, Liau G: Elevated expression of basic fibroblast growth factor in an immortalized rabbit smooth muscle cell line, 518

Wischik CM: see Mukaetova-Ladinska EB, 565

Wojta J: see Tipping PG, 875

Wolfson K: see Medeiros LJ, 1086

Wollenberg GK, DeForge LE, Bolgos G, Remick DG: Differential expression of tumor necrosis factor and interleukin-6 by peritoneal macrophages *in vivo* and in culture, 1121

Wolthuis AL, Boes A, Grond J: Cell density modulates growth, extracellular matrix, and protein synthesis of cultured rat mesangial cells, 1209

Wong DTW, Donoff RB, Yang J, Song B-Z, Matosian K, Nagura N, Elovic A, McBride J, Gallagher G, Todd R, Chiang T, Chou LS, Yung CM, Galli SJ, Weller PF: Sequential expression of transforming growth factors α and β_1 by eosinophils during cutaneous wound healing in the hamster, 130

Woodward L: see Lundstrom M, 1423

Woo J: see Langer A, 85

Woolcock BW: see Vielkind JR, 656

Wyatt ER: see Picchio GR, 342

Xiao Y-H, Miller WH Jr, Warrell RP Jr, Dmitrovsky E, Zelenetz AD: Pulsed-field gel electrophoresis analysis of retinoic acid receptor- α and promyelocytic leukemia rearrangements: detection of the t(15;17) translocation in the diagnosis of acute promyelocytic leukemia, 1301

Xing Z, Kirpalani H, Torry D, Jordana M, Gauldie J: Polymorphonuclear leukocytes as a significant source of tumor necrosis factor- α in endotoxin-challenged lung tissue, 1009

Yagita H: see Yamazaki T, 410

Yamabe H: see Sasajima Y, 1280

Yamada A: see Futagami-Mizoguchi E, 672

Yamamoto K: see Tsukidate K, 918

Yamatodani A: see Kasugai T, 1337

Yamazaki T, Seko Y, Tamatani T, Miyasaka M, Yagita H, Okumura K, Nagai R, Yazaki Y: Expression of intercellular adhesion molecule-1 in rat heart with ischemia/reperfusion and limitation of infarct size by treatment with antibodies against cell adhesion molecules, 410

Yanagihara T: see Tomimoto H, 579

Yang J: see Wong DTW, 130

Yan H-C: see Jubasz I, 1458

Yan SD: see Brett J, 1699

Yasumoto S: see Tsutsumi K, 1150

Yazaki Y: see Yamazaki T, 410

Yelavarthi KK, Hunt JS: Analysis of p60 and p80 tumor necrosis factor- α receptor messenger RNA and protein in human placentas, 1131

Yen M: see Pflugfelder SC, 49

Yokoyama MM: see Futagami-Mizoguchi E, 672

Yoshida K: see Kasugai T, 1337

Yuan S-Y: see Jothy S, 250

Yung CM: see Wong DTW, 130

Yunis EJ: see Schofield DE, 714

Yun K: see Gray ST, 663

Yutani C: see Hirota S, 1003

Zaret KS: see Boekelheide K, 1159

Zarnegar R: see Mars WM, 949

Zelenetz AD: see Xiao Y-H, 1301

Zhang K: see Rekhter MD, 1634

Zhang Y, Cliff WJ, Schoefl GI, Higgins G: Immunohistochemical study of intimal microvessels in coronary atherosclerosis, 164

Zhang Y, Cliff WJ, Schoefl GI, Higgins G: Plasma protein insudation as an index of early coronary atherosclerosis, 496

Zhao M: see Küppers R, 230

Zheng G: see Bachinsky DR, 598

Zimprich F: see Piddesden SJ, 555

Zischler H: see Schmied M, 446

Zou YS: see Brett J, 1699

Zurcher C: see HogenEsch H, 972

Zwadio-Klarwasser G: see Hauptmann S, 1406

